


Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4342$ $y=0.3978$ $u'=0.2515$ $v'=0.5185$

CCT=2995K(Duv=-0.0021) Dominant WL:Ld =583.6nm Purity=49.7%

Ratio:R=23.3% G=73.6% B=3.1% Peak WL:Lp=605.5nm FWHM=119.0nm

Render Index:Ra=82.9 CRI=78.3 AvgR=78.1

R1 =83 R2 =95 R3 =92 R4 =79 R5 =83 R6 =93 R7 =80

R8 =58 R9 =9 R10=88 R11=79 R12=73 R13=86 R14=96 R15=75

Photo Parameters:

Flux = 1479 lm Eff. : 119.87 lm/W Fe = 4.542 W

Electrical parameters:

V = 219.70 V I = 0.06065 A P = 12.34 W PF = 0.9263


LEVEL:OUT WHITE:ANSI_3000K

Status: Integral T = 2000 ms Ip = 37413 (57%)

Model:
Tester:DAMIN
Temperature:25.3Deg
Manufacturer:EVERFINE

Number:2
Date:2019-05-23 10:44:09
Humidity:65.0%
Remarks:---

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3682$ $y=0.3663$ $u'=0.2212$ $v'=0.4951$

CCT=4279K(Duv=-0.0012) Dominant WL:Ld =578.8nm Purity=20.4%

Ratio:R=18.2% G=77.1% B=4.7% Peak WL:Lp=457.9nm FWHM=21.1nm

Render Index:Ra=85.8 CRI=80.5 AvgR=80.5

R1 =86 R2 =96 R3 =95 R4 =81 R5 =85 R6 =91 R7 =84

R8 =68 R9 =23 R10=88 R11=81 R12=61 R13=90 R14=98 R15=81

Photo Parameters:

Flux = 1614 lm Eff. : 136.87 lm/W Fe = 5.053 W

Electrical parameters:

V = 219.71 V I = 0.05812 A P = 11.79 W PF = 0.9232


LEVEL:OUT WHITE:ANSI_4500K

Status: Integral T = 2000 ms Ip = 33235 (51%)

Model:
Tester:DAMIN
Temperature:25.3Deg
Manufacturer:EVERFINE

Number:3
Date:2019-05-23 10:46:54
Humidity:65.0%
Remarks:---

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3163$ $y=0.3414$ / $u'=0.1957$ $v'=0.4753$

CCT=6243K(Duv=0.0077) Dominant WL:Ld =497.9nm Purity=5.3%

Ratio:R=13.3% G=80.9% B=5.8% Peak WL:Lp=455.9nm FWHM=20.8nm

Render Index:Ra=82.0 CRI=74.1 AvgR=74.1

R1 =80 R2 =89 R3 =93 R4 =77 R5 =79 R6 =84 R7 =87

R8 =66 R9 =1 R10=73 R11=76 R12=52 R13=83 R14=97 R15=74

Photo Parameters:

Flux = 1562 lm Eff. : 127.45 lm/W Fe = 4.940 W

Electrical parameters:

V = 219.72 V I = 0.06025 A P = 12.26 W PF = 0.9259

LEVEL:OUT WHITE:ANSI_6500K

Status: Integral T = 2000 ms Ip = 41538 (63%)

Model:
Tester:DAMIN
Temperature:25.3Deg
Manufacturer:EVERFINE

Number:4
Date:2019-05-23 10:49:12
Humidity:65.0%
Remarks:---