

IES Report---投光灯

光度数据文件:KF-E-100W2 LED PHILIPS 3030 5700K.IES

灯具信息

光度文件: KF-E-100W2 LED PHILIPS 3030 5700K.IES

文件格式: IESNA:LM-63-1995

[测试编号]

[测试日期] 2016/8/06

[生产厂商]

[灯具类别]

[灯具描述] KF-E-100W2 LED PHILIPS 3030 5700K

[光源类别]

[光源描述]

[BALLASTCAT]

[BALLAST]

[OTHER]

[More] Temperature:25 Humidity:40

[More] Frequency:50.0 Voltage:218.2 Current:0.456 Power:97.1 PF:0.976

特性参数

灯具功率(w): 97.1

光源光通量(lm): 10000.00

灯具光通量(lm): 11961.62

灯具效率: 119.62%

灯具能效比: 123.19

最大光强(cd): 5034.88

最大光强角度(°): B=2.5 β=-2.5

半峰边角(50%Imax): B:92.4 β:105.7

光束宽度(10%Imax): B:132.1 β:134.0

光强数据表

	β -90.0	β -87.5	β -85.0	β -82.5	β -80.0	β -77.5	β -75.0	β -72.5	β -70.0	β -67.5	β -65.0	β -62.5	β -60.0
<u>3-90.0</u>	46.52	47.72	48.92	50.11	51.31	52.51	53.71	54.91	56.10	57.30	58.50	59.70	60.90
<u>3-87.5</u>	46.52	47.64	48.77	49.91	51.06	52.23	53.41	54.59	55.79	57.01	58.23	59.46	60.71
<u>3-85.0</u>	46.52	47.56	48.62	49.70	50.81	51.94	53.09	54.27	55.47	56.69	57.93	59.20	60.49
<u>3-82.5</u>	46.52	47.47	48.46	49.48	50.54	51.63	52.76	53.92	55.12	56.35	57.61	58.91	60.24
<u>3-80.0</u>	46.52	47.39	48.30	49.26	50.26	51.32	52.41	53.56	54.75	55.98	57.27	58.59	59.96
<u>3-77.5</u>	46.52	47.30	48.14	49.03	49.98	50.99	52.05	53.18	54.36	55.59	57.23	59.30	61.47
<u>3-75.0</u>	46.52	47.21	47.97	48.79	49.69	50.65	51.68	52.78	54.04	56.08	58.24	60.54	62.95
<u>3-72.5</u>	46.52	47.12	47.80	48.55	49.38	50.29	51.28	52.58	54.63	56.83	59.19	61.70	64.34
<u>3-70.0</u>	46.52	47.03	47.62	48.30	49.07	49.93	50.96	52.98	55.17	57.53	60.07	62.78	65.64
<u>3-67.5</u>	46.52	46.93	47.44	48.05	48.75	49.55	51.21	53.33	55.65	58.16	60.87	64.21	69.55
<u>3-65.0</u>	46.52	46.84	47.26	47.79	48.42	49.42	51.42	53.64	56.07	58.73	62.25	67.73	73.64
<u>3-62.5</u>	46.52	46.75	47.08	47.53	48.09	49.52	51.59	53.90	56.44	59.59	65.07	71.04	77.48
<u>3-60.0</u>	46.52	46.65	46.90	47.26	47.74	49.60	51.72	54.10	56.74	61.79	67.69	74.12	81.06
<u>3-57.5</u>	46.52	46.55	46.71	46.99	47.73	49.64	51.81	54.25	58.11	63.82	70.10	76.95	87.45
<u>3-55.0</u>	46.52	46.46	46.52	46.71	47.72	49.65	51.86	54.35	59.63	65.65	72.28	81.38	96.13
<u>3-52.5</u>	46.52	46.36	46.33	46.43	47.69	49.63	51.86	55.35	61.00	67.30	74.23	88.68	104.30
<u>3-50.0</u>	46.52	46.26	46.14	46.15	47.63	49.57	51.81	56.34	62.20	68.73	79.82	95.49	111.92
<u>3-47.5</u>	46.52	46.17	45.95	45.91	47.55	49.48	51.83	57.19	63.23	69.95	85.44	101.81	118.95
<u>3-45.0</u>	46.52	46.07	45.75	45.83	47.45	49.36	52.43	57.91	64.09	74.46	90.61	107.59	199.21
<u>3-42.5</u>	46.52	45.97	45.56	45.74	47.32	49.21	52.93	58.49	64.76	78.64	95.31	112.82	301.72
<u>3-40.0</u>	46.52	45.88	45.37	45.64	47.18	49.02	53.31	58.93	66.18	82.43	99.52	191.72	399.22
<u>3-37.5</u>	46.52	45.78	45.18	45.52	47.01	48.79	53.60	59.23	69.19	85.79	103.24	275.86	491.44
<u>3-35.0</u>	46.52	45.69	44.98	45.39	46.82	48.82	53.77	59.38	71.86	88.73	132.64	354.99	578.14
<u>3-32.5</u>	46.52	45.60	44.80	45.24	46.61	48.94	53.84	59.40	74.16	91.23	199.67	428.92	659.10
<u>3-30.0</u>	46.52	45.51	44.61	45.09	46.38	48.97	53.81	59.73	76.12	93.31	261.87	497.46	754.56
<u>3-27.5</u>	46.52	45.42	44.42	44.92	46.13	48.94	53.68	61.24	77.71	94.96	319.11	560.45	844.48
<u>3-25.0</u>	46.52	45.33	44.24	44.75	45.86	48.83	53.44	62.48	78.96	126.01	371.25	617.73	926.79
<u>3-22.5</u>	46.52	45.24	44.06	44.56	45.58	48.66	53.12	63.43	79.85	168.47	418.19	677.23	1001.25
<u>3-20.0</u>	46.52	45.16	43.89	44.37	45.28	48.42	52.71	64.09	80.40	206.24	459.82	737.72	1067.63
<u>3-17.5</u>	46.52	45.08	43.71	44.16	44.97	48.13	52.21	64.49	80.62	239.27	496.07	790.73	1125.75
<u>3-15.0</u>	46.52	45.00	43.55	43.95	44.65	47.78	51.63	64.62	80.51	267.50	526.89	836.12	1175.43
<u>3-12.5</u>	46.52	44.92	43.39	43.74	44.31	47.37	50.99	64.49	80.08	290.90	552.22	873.77	1216.53
<u>3-10.0</u>	46.52	44.85	43.23	43.52	43.97	46.92	50.27	64.11	79.36	309.44	572.05	903.58	1248.95
<u>3-7.5</u>	46.52	44.78	43.08	43.29	43.62	46.42	49.50	63.50	78.35	323.12	586.38	925.50	1272.59
<u>3-5.0</u>	46.52	44.71	42.93	43.06	43.26	45.89	48.68	62.66	77.08	331.96	595.23	939.49	1287.42
<u>3-2.5</u>	46.52	44.65	42.79	42.83	42.90	45.33	47.82	61.61	75.55	335.98	598.63	945.53	1293.43
<u>30.0</u>	46.52	44.59	42.66	42.60	42.54	44.73	46.92	60.36	73.79	335.21	596.64	943.64	1290.64
<u>32.5</u>	46.52	44.58	42.65	42.60	42.56	44.84	47.18	60.74	74.41	332.18	591.53	937.72	1284.94
<u>35.0</u>	46.52	44.58	42.65	42.59	42.57	44.93	47.40	60.92	74.80	324.52	581.22	923.88	1270.45
<u>37.5</u>	46.52	44.58	42.65	42.58	42.58	44.98	47.59	60.91	74.97	312.32	565.84	902.12	1247.17
<u>310.0</u>	46.52	44.58	42.66	42.58	42.60	45.01	47.74	60.69	74.89	295.71	545.55	872.47	1215.12
<u>312.5</u>	46.52	44.59	42.67	42.57	42.61	45.00	47.84	60.26	74.56	274.80	520.49	834.97	1174.36
<u>315.0</u>	46.52	44.60	42.70	42.56	42.62	44.96	47.90	59.62	73.98	249.74	490.84	789.70	1124.98

IES Report---投光灯
光度数据文件:KF-E-100W2 LED PHILIPS 3030 5700K.IES

光强数据表 - (续)

	β -90.0	β -87.5	β -85.0	β -82.5	β -80.0	β -77.5	β -75.0	β -72.5	β -70.0	β -67.5	β -65.0	β -62.5	β -60.0
<u>317.5</u>	46.52	44.62	42.73	42.55	42.62	44.88	47.90	58.76	73.13	220.65	456.78	736.76	1067.09
<u>320.0</u>	46.52	44.64	42.77	42.54	42.62	44.75	47.85	57.67	72.02	187.68	418.48	676.28	1000.87
<u>322.5</u>	46.52	44.66	42.81	42.52	42.62	44.59	47.74	56.36	70.64	150.99	376.13	608.42	926.48
<u>325.0</u>	46.52	44.68	42.87	42.51	42.62	44.38	47.56	54.82	68.98	110.71	329.91	544.94	844.13
<u>327.5</u>	46.52	44.71	42.93	42.49	42.61	44.12	47.33	53.06	67.05	81.46	280.02	488.54	754.06
<u>330.0</u>	46.52	44.75	42.99	42.47	42.59	43.82	47.03	51.07	64.86	79.07	226.64	428.46	656.52
<u>332.5</u>	46.52	44.78	43.06	42.45	42.57	43.47	46.66	50.27	62.39	76.35	169.95	364.92	554.60
<u>335.0</u>	46.52	44.82	43.14	42.42	42.55	43.07	46.22	49.80	59.65	73.31	110.13	298.14	480.66
<u>337.5</u>	46.52	44.86	43.23	42.40	42.52	42.77	45.71	49.25	56.64	69.97	83.73	228.31	403.62
<u>340.0</u>	46.52	44.91	43.32	42.37	42.49	42.74	45.14	48.60	53.38	66.31	79.67	155.62	323.72
<u>342.5</u>	46.52	44.95	43.41	42.34	42.45	42.69	44.50	47.86	51.68	62.35	75.26	88.61	241.15
<u>345.0</u>	46.52	45.01	43.52	42.30	42.40	42.63	43.79	47.04	50.73	58.10	70.52	83.35	156.10
<u>347.5</u>	46.52	45.06	43.62	42.26	42.35	42.57	43.02	46.12	49.67	53.65	65.44	77.71	90.36
<u>350.0</u>	46.52	45.12	43.74	42.38	42.30	42.49	42.82	45.12	48.49	52.29	60.05	71.71	83.73
<u>352.5</u>	46.52	45.18	43.86	42.56	42.23	42.41	42.71	44.04	47.21	50.79	54.79	65.37	76.72
<u>355.0</u>	46.52	45.24	43.98	42.74	42.17	42.32	42.59	42.99	45.82	49.17	52.91	58.71	69.34
<u>357.5</u>	46.52	45.30	44.11	42.93	42.10	42.22	42.46	42.82	44.34	47.43	50.88	54.71	61.62
<u>360.0</u>	46.52	45.37	44.24	43.13	42.04	42.12	42.32	42.63	43.05	45.57	48.72	52.21	56.03
<u>362.5</u>	46.52	45.44	44.37	43.33	42.31	42.00	42.17	42.43	42.79	43.61	46.42	49.56	53.00
<u>365.0</u>	46.52	45.51	44.51	43.54	42.58	41.89	42.00	42.21	42.52	42.92	44.01	46.77	49.80
<u>367.5</u>	46.52	45.58	44.66	43.75	42.86	42.00	41.83	41.99	42.23	42.56	42.97	43.86	46.47
<u>370.0</u>	46.52	45.65	44.80	43.97	43.15	42.35	41.65	41.75	41.92	42.18	42.50	42.90	43.37
<u>372.5</u>	46.52	45.73	44.95	44.19	43.44	42.71	42.00	41.50	41.61	41.78	42.02	42.32	42.68
<u>375.0</u>	46.52	45.81	45.10	44.42	43.74	43.08	42.44	41.81	41.28	41.37	41.51	41.71	41.97
<u>377.5</u>	46.52	45.88	45.26	44.65	44.04	43.45	42.88	42.31	41.76	41.23	41.00	41.09	41.24
<u>380.0</u>	46.52	45.96	45.42	44.88	44.35	43.83	43.32	42.83	42.34	41.86	41.40	40.95	40.51
<u>382.5</u>	46.52	46.04	45.58	45.11	44.66	44.21	43.77	43.34	42.92	42.51	42.10	41.71	41.32
<u>385.0</u>	46.52	46.13	45.74	45.35	44.97	44.60	44.23	43.87	43.51	43.16	42.81	42.47	42.14
<u>387.5</u>	46.52	46.21	45.90	45.59	45.29	44.99	44.69	44.39	44.10	43.81	43.52	43.24	42.96
<u>390.0</u>	46.52	46.29	46.06	45.84	45.61	45.38	45.15	44.92	44.70	44.47	44.24	44.01	43.78
	β -57.5	β -55.0	β -52.5	β -50.0	β -47.5	β -45.0	β -42.5	β -40.0	β -37.5	β -35.0	β -32.5	β -30.0	β -27.5
<u>3-90.0</u>	62.10	63.29	64.49	65.69	66.89	68.09	69.28	70.48	71.68	72.88	74.08	75.28	75.23
<u>3-87.5</u>	61.96	63.22	64.50	65.78	67.07	68.37	69.68	70.99	72.31	73.64	74.97	76.31	76.30
<u>3-85.0</u>	61.80	63.13	64.47	65.84	67.22	68.63	70.04	71.47	72.92	74.37	75.84	77.31	77.37
<u>3-82.5</u>	61.60	62.99	64.41	65.86	67.45	69.40	71.40	73.42	75.46	77.53	79.61	81.71	82.24
<u>3-80.0</u>	61.93	64.00	66.14	68.34	70.60	72.92	75.28	77.68	80.12	82.59	85.08	87.58	88.41
<u>3-77.5</u>	63.74	66.10	68.55	71.07	73.67	76.34	79.07	81.85	84.68	88.45	92.71	97.01	99.47
<u>3-75.0</u>	65.48	68.12	70.86	73.71	76.88	81.62	86.50	91.51	96.63	101.83	107.09	112.38	115.73
<u>3-72.5</u>	67.13	70.04	74.78	79.97	85.38	90.99	96.77	102.71	108.78	114.96	121.21	128.11	134.91
<u>3-70.0</u>	70.32	75.71	81.40	87.37	93.61	100.07	106.75	114.75	125.15	135.60	146.04	156.42	164.99
<u>3-67.5</u>	75.26	81.34	87.75	94.49	101.52	112.91	124.58	136.40	148.33	160.32	172.32	184.27	194.93
<u>3-65.0</u>	79.96	86.69	93.80	105.59	118.20	131.09	144.21	157.51	170.95	213.04	297.55	378.42	454.86
<u>3-62.5</u>	84.39	93.70	106.88	120.47	134.41	148.68	163.22	257.24	358.98	457.46	552.36	643.33	730.04

IES Report---投光灯
光度数据文件:KF-E-100W2 LED PHILIPS 3030 5700K.IES

光强数据表 - (续)

	<u>β -57.5</u>	<u>β -55.0</u>	<u>β -52.5</u>	<u>β -50.0</u>	<u>β -47.5</u>	<u>β -45.0</u>	<u>β -42.5</u>	<u>β -40.0</u>	<u>β -37.5</u>	<u>β -35.0</u>	<u>β -32.5</u>	<u>β -30.0</u>	<u>β -27.5</u>
<u>β -60.0</u>	91.66	105.55	119.93	134.75	149.99	242.72	361.10	476.76	589.37	698.57	803.99	920.53	1032.06
<u>β -57.5</u>	101.86	116.85	132.37	170.46	304.37	436.22	565.68	692.37	821.66	963.05	1098.45	1227.45	1349.63
<u>β -55.0</u>	111.53	127.54	190.97	337.57	482.49	625.38	766.31	930.80	1089.93	1243.27	1390.35	1530.69	1670.81
<u>β -52.5</u>	120.61	184.07	342.73	500.13	655.91	823.00	1004.96	1181.91	1353.37	1518.84	1688.49	1851.55	2006.38
<u>β -50.0</u>	150.67	320.63	489.76	657.72	844.40	1043.52	1238.06	1427.53	1619.29	1810.33	1994.10	2169.97	2337.28
<u>β -47.5</u>	272.34	452.35	631.65	830.63	1046.34	1257.97	1465.06	1680.93	1892.16	2096.65	2293.74	2452.32	2592.74
<u>β -45.0</u>	389.16	578.86	782.26	1013.77	1241.77	1465.81	1702.19	1933.12	2157.96	2362.08	2528.39	2686.40	2835.60
<u>β -42.5</u>	500.83	700.34	946.67	1190.09	1430.17	1683.19	1932.97	2177.43	2388.93	2572.87	2748.88	2916.38	3031.95
<u>β -40.0</u>	607.04	846.34	1104.07	1359.09	1624.68	1892.20	2155.22	2382.87	2584.33	2778.38	2952.63	3065.29	3168.83
<u>β -37.5</u>	714.44	985.28	1254.00	1527.99	1811.91	2092.15	2343.38	2561.90	2773.65	2953.57	3080.24	3197.71	3305.55
<u>β -35.0</u>	835.63	1116.75	1396.01	1693.80	1989.74	2270.55	2505.33	2734.10	2932.78	3074.17	3206.56	3331.22	3459.82
<u>β -32.5</u>	949.48	1240.35	1540.04	1850.05	2157.54	2415.06	2659.83	2888.42	3044.86	3192.71	3334.08	3477.63	3613.65
<u>β -30.0</u>	1055.66	1355.70	1675.59	1996.20	2292.10	2551.62	2806.25	2990.60	3154.03	3309.98	3468.10	3619.44	3760.88
<u>β -27.5</u>	1153.85	1469.17	1801.15	2131.69	2410.87	2679.64	2910.41	3089.03	3259.83	3430.57	3596.59	3753.61	3884.43
<u>β -25.0</u>	1243.74	1575.46	1916.27	2239.51	2520.83	2798.51	2997.02	3183.17	3365.10	3544.77	3718.84	3865.03	4003.14
<u>β -22.5</u>	1325.05	1671.68	2020.50	2332.09	2621.44	2878.15	3078.54	3272.52	3464.48	3651.87	3819.00	3970.58	4115.82
<u>β -20.0</u>	1401.26	1757.50	2113.45	2415.32	2712.16	2946.51	3154.33	3356.94	3556.06	3746.84	3910.50	4069.45	4203.51
<u>β -17.5</u>	1470.42	1832.61	2183.05	2488.76	2788.45	3008.51	3223.75	3433.12	3639.13	3823.92	3994.41	4151.18	4284.21
<u>β -15.0</u>	1529.55	1896.74	2240.52	2551.97	2836.79	3063.53	3285.33	3500.41	3712.60	3892.74	4069.84	4217.99	4357.00
<u>β -12.5</u>	1578.46	1949.66	2288.15	2604.55	2877.79	3110.93	3337.62	3558.17	3766.75	3952.53	4129.52	4276.24	4420.87
<u>β -10.0</u>	1617.02	1991.19	2325.61	2646.15	2910.90	3150.05	3380.39	3605.78	3811.63	4002.52	4173.86	4325.08	4461.38
<u>β -7.5</u>	1645.11	2021.22	2352.67	2676.43	2935.59	3180.24	3413.15	3642.65	3846.64	4041.95	4208.71	4363.72	4492.93
<u>β -5.0</u>	1662.68	2039.66	2369.09	2695.15	2951.34	3200.86	3435.49	3668.25	3871.21	4070.13	4233.49	4391.44	4515.07
<u>β -2.5</u>	1669.70	2046.50	2374.72	2702.08	2957.64	3211.31	3447.04	3682.16	3884.86	4086.45	4247.76	4407.65	4527.43
<u>β 0.0</u>	1666.21	2041.77	2369.44	2697.10	2954.07	3211.03	3447.52	3684.01	3887.23	4090.45	4251.19	4411.93	4529.85
<u>β 2.5</u>	1659.95	2035.37	2365.85	2696.10	2951.26	3204.42	3437.96	3670.51	3872.58	4073.56	4234.66	4394.38	4514.11
<u>β 5.0</u>	1643.25	2017.48	2351.06	2682.80	2938.58	3187.11	3417.62	3645.31	3846.65	4044.37	4207.22	4364.81	4488.29
<u>β 7.5</u>	1616.14	1988.15	2324.87	2656.97	2916.52	3159.69	3387.06	3609.09	3809.84	4003.36	4169.12	4323.56	4452.44
<u>β 10.0</u>	1578.69	1947.46	2287.16	2618.47	2885.58	3122.78	3346.88	3562.63	3762.64	3951.14	4120.75	4271.13	4406.79
<u>β 12.5</u>	1531.03	1895.58	2237.90	2567.25	2846.31	3077.04	3297.74	3506.72	3705.60	3888.43	4062.65	4208.20	4351.75
<u>β 15.0</u>	1473.31	1832.68	2177.10	2503.32	2799.25	3023.16	3240.33	3442.18	3639.36	3815.99	3989.38	4135.52	4273.05
<u>β 17.5</u>	1405.74	1759.02	2104.86	2426.80	2744.98	2961.80	3173.59	3369.81	3559.19	3734.60	3900.83	4053.93	4185.00
<u>β 20.0</u>	1328.55	1674.86	2019.98	2337.87	2655.75	2893.62	3097.60	3290.39	3471.76	3645.06	3803.92	3957.78	4088.61
<u>β 22.5</u>	1244.28	1580.53	1917.54	2236.81	2548.00	2819.26	3015.43	3204.65	3378.11	3544.72	3699.52	3845.50	3984.83
<u>β 25.0</u>	1154.47	1476.36	1804.50	2123.94	2427.39	2731.50	2927.76	3109.11	3278.99	3437.54	3588.09	3726.68	3858.34
<u>β 27.5</u>	1056.21	1362.74	1681.30	1997.34	2294.38	2589.38	2835.21	3008.73	3174.16	3325.92	3468.61	3602.14	3726.04
<u>β 30.0</u>	949.81	1241.97	1548.40	1853.87	2149.49	2434.48	2718.97	2904.32	3062.11	3210.48	3345.81	3472.23	3589.06
<u>β 32.5</u>	835.57	1118.00	1406.27	1700.63	1991.32	2267.44	2540.65	2796.40	2946.98	3088.69	3220.20	3339.89	3450.17
<u>β 35.0</u>	713.83	985.95	1256.13	1538.17	1816.96	2088.97	2350.21	2609.52	2829.22	2964.29	3090.06	3205.72	3310.15
<u>β 37.5</u>	584.95	846.24	1105.35	1367.05	1633.58	1895.33	2148.47	2394.79	2638.12	2838.11	2958.04	3068.49	3169.01
<u>β 40.0</u>	485.80	699.26	946.86	1191.66	1441.79	1690.76	1934.15	2169.15	2398.68	2624.07	2825.02	2930.59	3026.76
<u>β 42.5</u>	395.99	545.42	781.13	1013.84	1243.10	1478.21	1708.51	1932.46	2148.97	2359.99	2565.78	2765.47	2884.66
<u>β 45.0</u>	303.77	445.14	608.61	828.94	1045.67	1258.31	1475.45	1686.21	1889.96	2086.52	2277.66	2462.54	2640.26

IES Report---投光灯
光度数据文件:KF-E-100W2 LED PHILIPS 3030 5700K.IES

光强数据表 - (续)

	β -57.5	β -55.0	β -52.5	β -50.0	β -47.5	β -45.0	β -42.5	β -40.0	β -37.5	β -35.0	β -32.5	β -30.0	β -27.5
<u>347.5</u>	209.33	343.71	471.65	637.47	841.46	1041.28	1236.41	1433.24	1623.91	1807.03	1981.95	2151.43	2314.53
<u>350.0</u>	112.85	240.36	361.61	476.37	631.01	817.90	1000.09	1177.08	1351.92	1522.28	1684.70	1838.57	1983.30
<u>352.5</u>	88.39	135.26	250.00	358.49	460.55	588.72	757.96	922.06	1080.53	1232.85	1382.60	1524.61	1657.90
<u>355.0</u>	80.27	91.48	136.95	239.38	335.70	425.76	510.56	661.84	807.66	947.54	1081.00	1207.54	1328.86
<u>357.5</u>	71.77	82.18	92.82	119.15	209.95	294.86	373.77	446.59	530.24	657.85	779.35	894.31	1002.27
<u>360.0</u>	62.92	72.49	82.26	92.22	102.33	163.35	237.77	306.54	369.63	427.00	478.63	577.66	674.73
<u>362.5</u>	56.73	62.45	71.32	80.36	89.53	98.81	108.15	166.35	226.09	280.61	329.91	374.02	412.98
<u>365.0</u>	53.11	56.67	60.48	68.14	76.34	84.63	92.98	101.35	109.71	134.43	181.58	224.05	261.95
<u>367.5</u>	49.32	52.40	55.70	59.20	62.89	70.10	77.44	84.78	92.11	99.39	106.59	113.68	120.16
<u>370.0</u>	45.38	47.97	50.75	53.70	56.82	60.08	63.47	67.88	74.17	80.41	86.57	92.62	97.92
<u>372.5</u>	43.10	43.58	45.63	48.03	50.56	53.21	55.98	58.83	61.77	64.76	67.79	71.31	75.58
<u>375.0</u>	42.27	42.62	43.02	43.45	44.15	46.19	48.32	50.53	52.79	55.11	57.45	59.81	61.68
<u>377.5</u>	41.42	41.64	41.90	42.19	42.52	42.88	43.26	43.66	44.08	45.31	46.97	48.64	50.07
<u>380.0</u>	40.55	40.64	40.76	40.91	41.08	41.28	41.50	41.73	41.98	42.24	42.51	42.79	43.03
<u>382.5</u>	40.95	40.58	40.22	39.88	39.63	39.67	39.72	39.78	39.86	39.94	40.04	40.13	40.31
<u>385.0</u>	41.81	41.49	41.18	40.87	40.57	40.28	39.99	39.71	39.44	39.17	38.91	38.66	38.59
<u>387.5</u>	42.68	42.41	42.14	41.87	41.60	41.34	41.09	40.83	40.58	40.34	40.09	39.85	39.81
<u>390.0</u>	43.56	43.33	43.10	42.87	42.64	42.42	42.19	41.96	41.73	41.50	41.28	41.05	41.04
	β -25.0	β -22.5	β -20.0	β -17.5	β -15.0	β -12.5	β -10.0	β -7.5	β -5.0	β -2.5	β 0.0	β 2.5	β 5.0
<u>3-90.0</u>	75.18	75.14	75.09	75.04	75.00	74.95	74.90	74.86	74.81	74.76	74.72	74.67	74.62
<u>3-87.5</u>	76.27	76.24	76.21	76.17	76.13	76.10	76.05	76.01	75.96	75.92	75.87	75.81	75.76
<u>3-85.0</u>	77.36	77.34	77.32	77.30	77.27	77.24	77.21	77.17	77.12	77.07	77.02	76.96	76.89
<u>3-82.5</u>	82.59	82.90	83.17	83.41	83.61	83.77	83.90	83.98	84.02	84.03	83.99	83.91	83.80
<u>3-80.0</u>	88.89	89.33	89.72	90.06	90.35	90.58	90.76	90.89	90.97	91.00	90.97	90.88	90.75
<u>3-77.5</u>	101.24	102.85	104.31	105.61	106.75	107.71	108.51	109.13	109.57	109.83	109.91	109.81	109.52
<u>3-75.0</u>	117.90	119.90	121.71	123.32	124.74	125.96	126.96	127.76	128.34	128.71	128.86	128.78	128.48
<u>3-72.5</u>	139.70	144.09	148.06	151.60	154.70	157.36	159.56	161.30	162.57	163.37	163.69	163.53	162.89
<u>3-70.0</u>	170.53	175.61	180.22	184.33	187.94	191.04	193.61	195.66	197.16	198.11	198.52	198.37	197.67
<u>3-67.5</u>	234.35	285.73	331.17	370.68	404.30	432.06	454.04	470.31	480.98	486.17	486.01	480.66	470.27
<u>3-65.0</u>	516.67	571.85	620.36	662.22	697.43	726.06	748.16	763.83	773.18	776.35	773.50	764.80	750.45
<u>3-62.5</u>	798.76	864.11	928.11	984.43	1032.86	1073.24	1105.42	1129.27	1144.69	1151.61	1150.00	1139.84	1121.14
<u>3-60.0</u>	1125.82	1205.25	1276.50	1339.31	1393.45	1438.70	1474.89	1501.87	1519.51	1527.74	1526.50	1515.78	1495.60
<u>3-57.5</u>	1457.25	1544.92	1626.95	1700.85	1763.88	1815.91	1856.89	1886.79	1905.65	1913.54	1910.59	1896.96	1872.88
<u>3-55.0</u>	1802.47	1905.10	1996.27	2075.74	2143.32	2198.85	2242.26	2273.49	2292.57	2299.59	2294.68	2278.03	2249.91
<u>3-52.5</u>	2152.40	2266.77	2364.83	2434.13	2492.29	2542.39	2583.74	2615.65	2637.46	2648.55	2648.33	2636.28	2611.92
<u>3-50.0</u>	2470.13	2571.40	2654.47	2730.58	2798.93	2858.73	2909.17	2949.47	2978.85	2996.58	3001.98	2994.44	2973.43
<u>3-47.5</u>	2724.23	2841.87	2936.23	3016.61	3057.32	3091.78	3119.83	3141.35	3156.27	3164.56	3166.23	3161.34	3149.98
<u>3-45.0</u>	2975.43	3062.77	3121.16	3171.41	3215.12	3252.08	3282.09	3305.01	3320.73	3329.22	3330.48	3324.57	3311.63
<u>3-42.5</u>	3122.84	3204.74	3271.49	3325.45	3378.71	3427.76	3467.36	3497.34	3517.61	3528.18	3529.12	3520.62	3502.91
<u>3-40.0</u>	3262.93	3348.09	3437.33	3509.07	3571.23	3623.44	3665.39	3696.87	3717.76	3728.02	3727.77	3717.20	3696.61
<u>3-37.5</u>	3416.01	3521.27	3617.52	3696.72	3762.87	3811.09	3850.48	3880.55	3900.88	3911.15	3911.11	3900.66	3879.79
<u>3-35.0</u>	3580.33	3692.08	3790.35	3866.92	3928.73	3981.75	4025.32	4058.83	4081.78	4093.75	4094.44	4083.73	4061.61
<u>3-32.5</u>	3741.40	3845.57	3939.48	4024.27	4092.69	4146.50	4186.92	4217.98	4239.14	4250.01	4250.33	4239.98	4219.03

IES Report---投光灯
光度数据文件:KF-E-100W2 LED PHILIPS 3030 5700K.IES

光强数据表 - (续)

	<u>β -25.0</u>	<u>β -22.5</u>	<u>β -20.0</u>	<u>β -17.5</u>	<u>β -15.0</u>	<u>β -12.5</u>	<u>β -10.0</u>	<u>β -7.5</u>	<u>β -5.0</u>	<u>β -2.5</u>	<u>β 0.0</u>	<u>β 2.5</u>	<u>β 5.0</u>
<u>3-30.0</u>	3877.55	3986.30	4086.33	4169.60	4236.01	4290.00	4334.63	4369.15	4392.91	4405.38	4406.21	4395.28	4372.68
<u>3-27.5</u>	4008.09	4123.35	4214.07	4297.35	4372.28	4431.79	4471.14	4501.54	4522.38	4533.08	4533.30	4522.88	4501.93
<u>3-25.0</u>	4131.46	4235.18	4332.33	4421.96	4490.18	4545.84	4589.49	4623.58	4647.20	4659.63	4660.38	4649.26	4626.43
<u>3-22.5</u>	4231.74	4342.17	4443.06	4520.73	4592.59	4657.55	4699.70	4726.60	4745.47	4755.41	4755.75	4746.06	4726.30
<u>3-20.0</u>	4326.04	4440.16	4528.52	4612.35	4688.07	4740.66	4783.51	4814.57	4836.95	4849.45	4851.11	4841.38	4820.21
<u>3-17.5</u>	4413.41	4513.55	4607.82	4691.93	4754.24	4812.10	4864.31	4885.64	4899.58	4906.90	4906.89	4899.20	4883.91
<u>3-15.0</u>	4476.99	4579.69	4677.26	4747.76	4815.27	4870.86	4907.55	4935.73	4952.49	4961.82	4962.67	4954.49	4937.45
<u>3-12.5</u>	4529.95	4637.50	4722.06	4797.08	4862.29	4906.64	4947.21	4976.93	4984.66	4988.34	4988.08	4982.87	4972.23
<u>3-10.0</u>	4574.06	4679.32	4759.48	4838.62	4890.16	4938.41	4972.65	4992.10	5005.50	5011.71	5013.50	5009.08	4997.73
<u>3-7.5</u>	4608.49	4705.56	4788.47	4858.84	4912.61	4959.71	4985.42	5007.36	5017.84	5021.03	5022.27	5020.69	5017.22
<u>3-5.0</u>	4632.53	4723.42	4808.14	4871.88	4928.34	4967.50	4996.47	5015.17	5022.97	5027.30	5031.05	5030.67	5027.64
<u>3-2.5</u>	4645.70	4732.46	4817.80	4877.79	4936.02	4971.54	5004.08	5018.52	5028.88	5029.60	5030.03	5032.46	5033.59
<u>30.0</u>	4647.78	4732.47	4817.17	4875.91	4934.65	4970.16	5005.66	5019.62	5033.58	5031.30	5029.02	5011.67	4994.33
<u>32.5</u>	4632.40	4720.26	4807.12	4869.00	4929.82	4967.52	5003.18	5019.50	5032.67	5034.88	5029.46	5018.76	5003.44
<u>35.0</u>	4605.76	4698.44	4785.97	4853.23	4914.32	4957.92	4992.01	5015.53	5026.83	5034.60	5029.90	5017.60	5000.95
<u>37.5</u>	4567.89	4666.69	4753.35	4828.40	4888.02	4942.03	4973.43	5002.91	5018.46	5019.28	5013.75	5002.99	4988.87
<u>310.0</u>	4519.18	4625.09	4709.45	4793.93	4851.67	4907.67	4949.19	4974.74	4993.77	5000.30	4997.59	4984.27	4960.70
<u>312.5</u>	4460.24	4567.34	4654.95	4735.16	4806.52	4857.71	4906.17	4942.89	4954.11	4957.93	4954.07	4941.72	4921.01
<u>315.0</u>	4391.85	4493.66	4590.84	4665.87	4738.70	4800.06	4842.44	4877.54	4900.58	4912.01	4910.55	4895.76	4868.26
<u>317.5</u>	4312.28	4410.92	4503.70	4587.57	4653.83	4715.81	4771.95	4801.60	4820.96	4830.11	4828.20	4814.94	4790.71
<u>320.0</u>	4208.65	4320.25	4406.40	4487.80	4561.37	4616.10	4665.02	4704.56	4731.91	4745.91	4745.85	4731.59	4703.63
<u>322.5</u>	4097.63	4204.80	4302.26	4376.63	4444.71	4505.18	4555.85	4590.98	4615.05	4627.23	4627.02	4614.33	4589.50
<u>325.0</u>	3980.19	4079.94	4172.83	4257.77	4321.19	4377.71	4427.67	4466.54	4493.37	4507.41	4508.20	4495.63	4469.96
<u>327.5</u>	3842.36	3949.85	4035.54	4113.32	4182.16	4248.03	4293.29	4328.24	4352.20	4364.60	4365.12	4353.67	4330.43
<u>330.0</u>	3697.96	3798.48	3889.72	3965.39	4031.31	4091.83	4141.73	4180.25	4206.76	4220.77	4222.04	4210.55	4186.51
<u>332.5</u>	3550.32	3643.69	3728.48	3803.56	3875.13	3934.04	3979.67	4014.79	4038.91	4051.67	4052.87	4042.49	4020.72
<u>335.0</u>	3404.95	3489.55	3565.14	3636.85	3703.53	3760.61	3807.49	3843.62	3868.55	3881.97	3883.69	3873.69	3852.10
<u>337.5</u>	3259.14	3339.57	3410.05	3473.85	3530.25	3582.74	3625.73	3658.80	3681.57	3693.81	3695.37	3686.23	3666.49
<u>340.0</u>	3113.22	3189.73	3257.44	3318.03	3370.68	3415.09	3450.99	3478.20	3496.62	3506.21	3507.05	3499.29	3483.18
<u>342.5</u>	2967.91	3041.91	3105.15	3161.10	3210.73	3252.45	3286.34	3312.25	3330.09	3339.86	3341.63	3335.52	3321.75
<u>345.0</u>	2809.88	2895.04	2950.93	3000.86	3045.54	3084.49	3117.20	3143.18	3161.96	3173.10	3176.21	3170.95	3157.04
<u>347.5</u>	2469.61	2613.85	2738.87	2838.41	2877.61	2911.37	2939.28	2960.91	2975.86	2983.76	2984.28	2977.13	2962.07
<u>350.0</u>	2122.84	2253.71	2370.87	2474.17	2563.31	2638.03	2698.16	2743.61	2774.39	2790.58	2792.35	2779.98	2753.82
<u>352.5</u>	1781.94	1896.88	2002.17	2098.62	2182.52	2253.17	2310.46	2354.31	2384.75	2401.86	2405.81	2396.82	2375.19
<u>355.0</u>	1442.32	1546.59	1641.74	1727.26	1802.66	1867.49	1921.32	1963.74	1994.41	2013.00	2019.26	2013.00	1994.05
<u>357.5</u>	1102.90	1194.67	1278.79	1355.27	1422.39	1479.78	1527.07	1563.91	1590.01	1605.10	1608.96	1601.42	1582.35
<u>360.0</u>	766.91	851.76	927.62	994.31	1051.72	1099.76	1138.37	1167.53	1187.26	1197.60	1198.65	1190.54	1173.41
<u>362.5</u>	451.39	507.93	577.97	639.69	693.01	737.85	774.18	801.98	821.28	832.12	834.59	828.79	814.86
<u>365.0</u>	297.14	329.31	358.37	384.24	406.83	426.08	441.93	454.34	463.26	468.66	470.53	468.86	463.65
<u>367.5</u>	142.23	170.90	196.78	219.80	239.89	257.01	271.09	282.11	290.02	294.81	296.46	294.97	290.33
<u>370.0</u>	101.98	105.70	109.08	112.09	114.74	117.01	118.89	120.37	121.45	122.13	122.39	122.24	121.68
<u>372.5</u>	79.06	82.24	85.12	87.69	89.93	91.85	93.43	94.66	95.55	96.08	96.26	96.08	95.53
<u>375.0</u>	63.18	64.54	65.75	66.82	67.75	68.52	69.15	69.62	69.94	70.11	70.12	69.99	69.70

IES Report---投光灯
光度数据文件:KF-E-100W2 LED PHILIPS 3030 5700K.IES

光强数据表 - (续)

	β -25.0	β -22.5	β -20.0	β -17.5	β -15.0	β -12.5	β -10.0	β -7.5	β -5.0	β -2.5	β 0.0	β 2.5	β 5.0
<u>377.5</u>	51.32	52.45	53.46	54.35	55.12	55.77	56.29	56.69	56.96	57.10	57.12	57.01	56.78
<u>380.0</u>	43.25	43.44	43.61	43.75	43.87	43.97	44.05	44.10	44.13	44.13	44.11	44.07	44.01
<u>382.5</u>	40.47	40.62	40.75	40.86	40.96	41.03	41.10	41.14	41.16	41.17	41.16	41.14	41.09
<u>385.0</u>	38.53	38.47	38.42	38.38	38.34	38.31	38.28	38.25	38.23	38.22	38.21	38.21	38.21
<u>387.5</u>	39.78	39.74	39.71	39.68	39.66	39.64	39.62	39.60	39.58	39.57	39.56	39.55	39.55
<u>390.0</u>	41.03	41.01	41.00	40.99	40.98	40.97	40.95	40.94	40.93	40.92	40.91	40.90	40.88
	β 7.5	β 10.0	β 12.5	β 15.0	β 17.5	β 20.0	β 22.5	β 25.0	β 27.5	β 30.0	β 32.5	β 35.0	β 37.5
<u>3-90.0</u>	74.58	74.53	74.48	74.44	74.39	74.34	74.30	74.25	74.20	74.16	74.37	74.58	74.80
<u>3-87.5</u>	75.70	75.64	75.58	75.52	75.45	75.39	75.32	75.25	75.18	75.10	75.30	75.49	75.68
<u>3-85.0</u>	76.83	76.75	76.68	76.60	76.52	76.43	76.34	76.24	76.15	76.05	76.23	76.41	76.58
<u>3-82.5</u>	83.64	83.44	83.21	82.93	82.62	82.27	81.88	81.45	80.99	80.51	80.20	79.87	79.53
<u>3-80.0</u>	90.56	90.31	90.02	89.67	89.27	88.82	88.31	87.76	87.16	86.53	85.94	85.33	84.71
<u>3-77.5</u>	109.05	108.39	107.55	106.52	105.31	103.91	102.34	100.59	98.65	96.54	94.23	91.82	89.86
<u>3-75.0</u>	127.96	127.21	126.24	125.05	123.64	122.00	120.15	118.08	115.80	113.22	110.30	107.26	104.10
<u>3-72.5</u>	161.77	160.17	158.10	155.55	152.53	149.04	145.10	140.72	135.89	130.58	126.27	122.60	118.78
<u>3-70.0</u>	196.41	194.60	192.24	189.33	185.89	181.91	177.40	172.38	166.86	165.85	164.66	159.06	148.72
<u>3-67.5</u>	455.05	435.16	410.83	382.27	349.69	313.32	273.41	230.18	197.73	203.79	209.41	209.93	205.01
<u>3-65.0</u>	730.65	705.64	675.66	640.95	601.78	558.41	511.12	460.18	405.87	371.00	330.97	284.51	264.11
<u>3-62.5</u>	1093.97	1058.38	1014.48	962.41	902.32	834.38	758.79	688.22	630.64	594.63	551.49	501.21	443.79
<u>3-60.0</u>	1466.01	1427.12	1379.04	1321.94	1255.99	1181.42	1098.47	1007.38	921.47	849.59	772.70	718.37	656.18
<u>3-57.5</u>	1838.60	1794.41	1740.66	1677.71	1605.93	1525.75	1436.43	1336.98	1250.71	1169.53	1080.13	982.88	878.14
<u>3-55.0</u>	2210.62	2160.50	2099.96	2029.40	1949.30	1860.12	1762.36	1656.52	1574.51	1487.53	1387.94	1279.94	1163.96
<u>3-52.5</u>	2574.87	2524.79	2461.44	2384.66	2294.36	2191.71	2083.98	1973.51	1886.03	1790.08	1686.21	1574.19	1446.72
<u>3-50.0</u>	2938.48	2889.23	2825.44	2746.93	2653.63	2545.59	2422.90	2301.99	2194.62	2087.88	1972.79	1849.95	1719.94
<u>3-47.5</u>	3132.30	3108.48	3078.74	3043.30	3002.45	2900.42	2771.90	2648.18	2522.31	2390.31	2255.39	2120.75	1978.70
<u>3-45.0</u>	3291.81	3265.34	3232.47	3193.48	3148.70	3098.45	3045.14	2987.18	2845.59	2698.01	2545.48	2388.96	2232.50
<u>3-42.5</u>	3476.33	3441.26	3398.15	3347.48	3293.54	3238.79	3189.21	3143.01	3087.61	2996.91	2828.91	2657.28	2482.91
<u>3-40.0</u>	3666.39	3627.03	3579.04	3523.01	3459.52	3389.18	3335.55	3286.92	3228.80	3160.96	3083.71	2915.80	2726.91
<u>3-37.5</u>	3848.64	3807.44	3756.51	3696.28	3626.66	3557.70	3503.44	3440.43	3371.12	3299.38	3217.62	3126.31	2960.37
<u>3-35.0</u>	4028.26	3983.97	3929.17	3864.37	3790.17	3729.37	3670.32	3601.72	3524.50	3439.32	3351.58	3254.72	3148.43
<u>3-32.5</u>	4187.71	4146.40	4095.58	4030.66	3954.24	3897.54	3833.12	3761.33	3677.69	3585.81	3486.43	3382.46	3269.71
<u>3-30.0</u>	4338.71	4293.86	4238.75	4174.11	4118.07	4062.40	3990.70	3912.09	3827.47	3729.44	3622.85	3509.41	3389.49
<u>3-27.5</u>	4470.78	4429.95	4380.06	4310.80	4261.03	4204.91	4143.51	4057.72	3965.61	3868.48	3755.57	3634.64	3507.37
<u>3-25.0</u>	4592.33	4547.66	4493.29	4443.99	4399.35	4335.88	4267.42	4194.93	4098.24	3993.74	3884.06	3755.39	3620.90
<u>3-22.5</u>	4696.74	4657.97	4604.46	4560.58	4511.38	4458.09	4385.31	4306.10	4224.11	4112.74	3997.27	3871.08	3728.94
<u>3-20.0</u>	4788.01	4745.62	4705.27	4669.42	4615.28	4555.57	4493.36	4410.44	4322.40	4224.74	4102.48	3977.64	3831.22
<u>3-17.5</u>	4861.51	4832.41	4794.00	4751.77	4707.08	4646.03	4578.25	4507.08	4413.35	4318.49	4200.21	4069.33	3927.09
<u>3-15.0</u>	4912.32	4888.80	4867.08	4827.12	4777.04	4726.33	4655.48	4582.14	4496.26	4396.78	4289.81	4153.34	4015.57
<u>3-12.5</u>	4958.04	4939.66	4913.55	4886.00	4839.03	4784.50	4724.21	4647.18	4570.44	4467.05	4363.66	4229.12	4086.72
<u>3-10.0</u>	4986.87	4975.87	4954.42	4923.66	4891.91	4834.60	4778.44	4703.92	4624.89	4528.87	4422.71	4296.21	4149.82
<u>3-7.5</u>	5012.62	4998.88	4984.41	4955.26	4922.84	4876.06	4818.91	4751.98	4671.61	4581.94	4473.84	4354.20	4204.54
<u>3-5.0</u>	5026.36	5017.80	5001.92	4980.17	4947.20	4908.69	4851.87	4791.26	4710.60	4626.11	4516.98	4402.79	4250.64
<u>3-2.5</u>	5033.06	5031.88	5015.61	4998.25	4965.99	4932.82	4877.66	4821.96	4742.05	4661.43	4552.16	4441.76	4287.97

IES Report---投光灯

光度数据文件:KF-E-100W2 LED PHILIPS 3030 5700K.IES

光强数据表 - (续)

	<u>β 7.5</u>	<u>β 10.0</u>	<u>β 12.5</u>	<u>β 15.0</u>	<u>β 17.5</u>	<u>β 20.0</u>	<u>β 22.5</u>	<u>β 25.0</u>	<u>β 27.5</u>	<u>β 30.0</u>	<u>β 32.5</u>	<u>β 35.0</u>	<u>β 37.5</u>
<u>30.0</u>	4989.04	4983.75	4954.87	4925.98	4880.96	4835.94	4771.39	4706.84	4608.67	4510.50	4379.00	4247.50	4068.58
<u>32.5</u>	4991.17	4979.08	4947.68	4915.57	4866.98	4818.10	4750.27	4681.71	4582.55	4482.45	4351.19	4218.60	4041.75
<u>35.0</u>	4987.65	4965.18	4933.57	4895.71	4845.34	4790.96	4721.22	4646.82	4547.75	4444.29	4314.24	4178.78	4004.90
<u>37.5</u>	4971.57	4942.04	4912.28	4865.34	4815.20	4753.54	4683.47	4601.89	4504.06	4396.02	4268.13	4128.36	3958.33
<u>310.0</u>	4936.19	4911.12	4873.30	4824.57	4775.63	4705.50	4636.68	4546.97	4451.46	4337.84	4213.02	4067.80	3902.38
<u>312.5</u>	4894.77	4861.43	4818.59	4774.35	4713.88	4647.12	4574.10	4482.37	4390.11	4270.11	4149.18	3997.67	3837.51
<u>315.0</u>	4829.46	4791.35	4755.00	4702.63	4641.28	4579.10	4495.69	4408.66	4308.31	4193.36	4070.37	3918.59	3764.22
<u>317.5</u>	4756.43	4713.42	4666.07	4614.13	4559.19	4487.64	4408.21	4324.38	4217.48	4108.17	3976.26	3831.20	3678.25
<u>320.0</u>	4662.99	4611.01	4561.71	4517.33	4454.92	4385.68	4312.68	4218.77	4118.46	4008.16	3874.26	3736.18	3586.43
<u>322.5</u>	4553.23	4506.53	4445.28	4395.38	4338.68	4276.54	4194.93	4105.59	4012.07	3891.49	3765.14	3632.30	3489.73
<u>325.0</u>	4431.81	4382.01	4321.61	4266.00	4214.58	4144.48	4067.85	3985.75	3881.63	3768.47	3649.65	3523.49	3388.89
<u>327.5</u>	4295.87	4250.62	4195.43	4121.91	4067.04	4004.40	3935.10	3844.22	3745.38	3639.86	3530.20	3411.62	3279.20
<u>330.0</u>	4150.36	4102.73	4044.39	3976.18	3915.38	3855.05	3779.68	3695.86	3604.46	3511.19	3408.82	3297.23	3145.78
<u>332.5</u>	3987.88	3944.47	3891.08	3824.93	3748.93	3689.31	3620.67	3544.89	3468.66	3382.12	3285.93	3154.68	3007.89
<u>335.0</u>	3819.20	3775.41	3721.24	3657.31	3584.27	3521.29	3466.85	3405.47	3333.83	3252.44	3135.17	3004.85	2866.04
<u>337.5</u>	3636.39	3596.24	3546.46	3487.55	3430.20	3373.06	3324.85	3266.78	3193.32	3088.79	2974.79	2851.91	2686.71
<u>340.0</u>	3459.04	3427.26	3388.27	3342.54	3290.57	3232.84	3184.02	3106.39	3017.65	2919.39	2812.09	2651.87	2479.56
<u>342.5</u>	3300.57	3272.31	3237.33	3196.02	3142.27	3071.20	2998.37	2924.28	2840.84	2733.25	2579.06	2421.93	2262.68
<u>345.0</u>	3134.29	3102.55	3061.78	3012.00	2953.27	2885.76	2811.41	2733.54	2602.61	2466.58	2326.39	2182.92	2001.53
<u>347.5</u>	2938.93	2907.58	2867.95	2820.05	2763.93	2662.97	2544.37	2430.21	2313.60	2191.74	2056.16	1883.39	1700.96
<u>350.0</u>	2714.28	2661.87	2597.14	2520.68	2433.14	2335.16	2227.42	2120.17	2010.38	1871.72	1722.44	1563.21	1394.65
<u>352.5</u>	2341.28	2295.52	2238.38	2170.35	2091.98	2001.31	1886.75	1763.11	1647.25	1520.76	1384.21	1240.88	1116.93
<u>355.0</u>	1962.36	1917.88	1860.66	1790.79	1708.44	1613.80	1507.12	1388.70	1280.88	1173.14	1075.78	969.97	856.06
<u>357.5</u>	1551.68	1509.38	1455.47	1390.02	1313.15	1225.02	1133.36	1044.19	962.62	882.07	793.37	696.80	592.66
<u>360.0</u>	1147.47	1112.93	1070.06	1019.12	960.42	894.28	821.02	740.99	662.35	589.55	512.95	472.30	424.32
<u>362.5</u>	792.97	763.30	726.07	681.52	629.89	571.46	506.52	453.33	416.95	390.12	356.91	317.18	270.83
<u>365.0</u>	454.92	442.69	427.01	407.92	385.47	359.74	330.79	298.71	263.58	235.51	202.33	163.32	143.81
<u>367.5</u>	282.56	271.69	257.74	240.74	220.76	197.84	172.04	143.43	121.35	120.75	119.65	116.34	110.71
<u>370.0</u>	120.69	119.28	117.46	115.22	112.57	109.52	106.06	102.20	97.95	94.95	91.46	86.06	78.64
<u>372.5</u>	94.63	93.36	91.73	89.74	87.39	84.68	81.63	78.23	74.49	70.14	66.73	63.92	61.13
<u>375.0</u>	69.26	68.68	67.94	67.06	66.04	64.88	63.58	62.15	60.59	58.75	56.57	54.37	52.19
<u>377.5</u>	56.42	55.94	55.34	54.62	53.78	52.82	51.75	50.57	49.27	47.85	46.28	44.70	43.53
<u>380.0</u>	43.92	43.82	43.69	43.54	43.37	43.18	42.97	42.75	42.50	42.25	42.01	41.77	41.54
<u>382.5</u>	41.03	40.96	40.87	40.76	40.64	40.50	40.35	40.18	40.01	39.82	39.73	39.63	39.53
<u>385.0</u>	38.22	38.23	38.25	38.27	38.29	38.32	38.36	38.40	38.44	38.50	38.70	38.90	39.11
<u>387.5</u>	39.54	39.54	39.55	39.55	39.56	39.57	39.58	39.60	39.61	39.63	39.80	39.97	40.14
<u>390.0</u>	40.87	40.86	40.85	40.84	40.83	40.81	40.80	40.79	40.78	40.77	40.90	41.04	41.18
	<u>β 40.0</u>	<u>β 42.5</u>	<u>β 45.0</u>	<u>β 47.5</u>	<u>β 50.0</u>	<u>β 52.5</u>	<u>β 55.0</u>	<u>β 57.5</u>	<u>β 60.0</u>	<u>β 62.5</u>	<u>β 65.0</u>	<u>β 67.5</u>	<u>β 70.0</u>
<u>3-90.0</u>	75.01	75.22	75.43	75.65	75.86	76.07	76.28	76.50	76.71	76.92	77.14	77.35	77.56
<u>3-87.5</u>	75.87	76.06	76.24	76.43	76.61	76.79	76.96	77.14	77.31	77.48	77.65	77.82	77.98
<u>3-85.0</u>	76.74	76.90	77.06	77.21	77.36	77.50	77.64	77.78	77.91	78.04	78.17	78.29	78.41
<u>3-82.5</u>	79.18	78.82	78.47	78.11	78.12	78.22	78.33	78.43	78.52	78.60	78.69	78.76	78.83
<u>3-80.0</u>	84.08	83.44	82.80	82.16	81.52	80.89	80.28	79.68	79.13	79.17	79.21	79.24	79.26

IES Report---投光灯

光度数据文件:KF-E-100W2 LED PHILIPS 3030 5700K.IES

光强数据表 - (续)

	<u>β 40.0</u>	<u>β 42.5</u>	<u>β 45.0</u>	<u>β 47.5</u>	<u>β 50.0</u>	<u>β 52.5</u>	<u>β 55.0</u>	<u>β 57.5</u>	<u>β 60.0</u>	<u>β 62.5</u>	<u>β 65.0</u>	<u>β 67.5</u>	<u>β 70.0</u>
<u>3-77.5</u>	88.94	88.02	87.09	86.17	85.25	84.35	83.45	82.58	81.73	80.90	80.11	79.71	79.69
<u>3-75.0</u>	100.83	97.46	94.01	90.48	88.94	87.76	86.59	85.45	84.33	83.25	82.20	81.19	80.23
<u>3-72.5</u>	114.84	110.79	106.65	102.42	98.12	93.77	89.69	88.28	86.90	85.56	84.26	83.01	81.81
<u>3-70.0</u>	133.37	123.99	119.15	114.22	109.22	104.15	99.03	93.87	89.43	87.83	86.29	84.80	83.37
<u>3-67.5</u>	194.34	177.65	154.69	125.87	120.16	114.38	108.55	102.69	96.80	90.90	88.28	86.56	84.90
<u>3-65.0</u>	257.91	244.89	224.83	197.49	162.69	124.44	117.91	111.34	104.76	98.16	91.58	88.27	86.40
<u>3-62.5</u>	379.27	314.89	297.38	271.78	237.94	195.72	145.00	119.83	112.55	105.27	98.01	90.78	87.86
<u>3-60.0</u>	586.20	508.52	423.25	348.45	315.15	272.69	221.00	160.02	120.16	112.22	104.29	96.40	89.27
<u>3-57.5</u>	793.11	709.03	616.74	516.42	408.24	351.40	298.27	235.18	162.13	118.98	110.40	101.87	93.39
<u>3-55.0</u>	1040.43	909.79	809.56	701.35	584.77	460.09	376.95	311.27	235.03	148.31	116.33	107.18	98.08
<u>3-52.5</u>	1311.29	1168.39	1018.49	885.19	759.93	626.12	484.07	388.36	308.46	217.57	122.07	112.31	102.62
<u>3-50.0</u>	1578.46	1423.12	1260.52	1091.19	933.54	790.35	638.57	478.56	382.43	286.93	180.20	117.26	107.00
<u>3-47.5</u>	1829.87	1673.52	1498.11	1315.79	1127.12	952.55	790.83	620.63	456.91	356.35	244.23	122.02	111.21
<u>3-45.0</u>	2071.32	1903.88	1730.77	1535.42	1333.64	1125.99	940.59	760.04	571.26	425.77	307.86	178.45	115.23
<u>3-42.5</u>	2307.12	2127.22	1941.67	1749.58	1534.73	1314.03	1088.02	896.53	697.17	495.11	371.01	235.29	119.07
<u>3-40.0</u>	2536.55	2344.28	2146.34	1943.48	1729.90	1496.26	1257.42	1029.84	819.81	601.94	433.55	291.22	137.63
<u>3-37.5</u>	2756.39	2552.14	2344.23	2129.24	1910.07	1672.24	1420.78	1164.79	938.90	710.41	495.35	346.11	185.72
<u>3-35.0</u>	2965.20	2748.44	2532.50	2307.82	2076.97	1841.49	1577.67	1309.52	1054.16	815.08	568.90	399.82	232.44
<u>3-32.5</u>	3147.93	2933.55	2706.35	2478.68	2236.46	1991.07	1727.65	1447.70	1165.27	915.67	659.22	452.17	277.64
<u>3-30.0</u>	3260.57	3106.69	2869.09	2633.65	2388.03	2131.95	1870.29	1578.94	1284.25	1011.91	745.36	503.01	321.17
<u>3-27.5</u>	3370.81	3225.91	3020.11	2775.69	2531.18	2264.90	1996.48	1702.87	1397.54	1103.49	827.06	552.12	362.88
<u>3-25.0</u>	3478.20	3325.34	3158.86	2906.51	2657.19	2389.48	2111.70	1819.10	1503.68	1190.10	904.05	612.64	402.59
<u>3-22.5</u>	3581.99	3421.02	3252.83	3025.69	2769.82	2505.27	2218.76	1927.26	1602.34	1275.34	976.09	675.81	440.11
<u>3-20.0</u>	3676.97	3512.35	3336.02	3132.91	2871.64	2611.89	2317.32	2021.79	1693.24	1357.69	1042.90	734.16	475.27
<u>3-17.5</u>	3765.66	3598.70	3414.10	3224.20	2962.44	2700.22	2407.05	2104.45	1776.06	1432.66	1104.23	787.48	507.85
<u>3-15.0</u>	3847.48	3676.17	3486.45	3288.91	3042.11	2776.78	2487.68	2178.76	1850.56	1500.05	1159.81	835.54	537.66
<u>3-12.5</u>	3921.83	3744.38	3552.43	3347.40	3110.61	2843.31	2558.93	2244.51	1916.48	1559.64	1209.40	878.16	564.49
<u>3-10.0</u>	3988.11	3804.97	3611.35	3399.09	3168.01	2899.85	2620.61	2301.52	1973.60	1611.24	1252.75	915.12	588.14
<u>3-7.5</u>	4045.77	3857.47	3662.52	3443.43	3214.44	2946.53	2672.51	2349.62	2021.72	1654.70	1289.63	946.26	608.39
<u>3-5.0</u>	4094.26	3901.45	3705.25	3479.84	3250.14	2983.53	2714.51	2388.70	2060.69	1689.88	1319.82	971.39	625.03
<u>3-2.5</u>	4133.09	3936.51	3738.88	3507.77	3275.42	3011.10	2746.50	2418.69	2090.35	1716.66	1343.11	990.36	637.87
<u>30.0</u>	3889.67	3670.99	3452.30	3193.10	2933.90	2703.23	2472.56	2057.29	1642.01	1273.30	904.58	594.88	285.19
<u>32.5</u>	3863.76	3650.08	3434.84	3178.89	2922.93	2689.02	2453.01	2039.13	1625.83	1259.22	893.05	586.97	281.81
<u>35.0</u>	3827.16	3619.32	3406.44	3154.61	2903.08	2666.73	2420.81	2009.48	1600.46	1236.84	875.41	573.61	276.64
<u>37.5</u>	3780.66	3579.31	3367.53	3120.63	2873.95	2636.06	2376.08	1968.40	1566.03	1206.28	851.87	554.97	269.76
<u>310.0</u>	3725.06	3530.74	3318.63	3077.34	2835.24	2596.75	2318.97	1916.04	1522.70	1167.66	822.67	531.21	261.25
<u>312.5</u>	3661.22	3474.28	3260.28	3025.20	2786.71	2548.61	2249.69	1852.57	1470.67	1121.14	788.02	502.52	251.19
<u>315.0</u>	3589.99	3410.65	3193.05	2964.68	2728.21	2491.53	2168.51	1778.20	1410.16	1066.91	748.19	469.10	239.66
<u>317.5</u>	3512.18	3334.77	3117.53	2896.28	2659.65	2425.42	2075.73	1693.21	1341.41	1005.15	703.41	431.14	226.76
<u>320.0</u>	3428.56	3243.62	3034.32	2815.03	2581.04	2343.65	1971.71	1597.87	1264.69	936.10	653.95	388.85	212.57
<u>322.5</u>	3339.85	3145.19	2944.00	2721.92	2492.49	2218.86	1856.84	1497.76	1180.27	859.99	600.06	342.43	197.16
<u>325.0</u>	3227.18	3040.15	2844.87	2617.97	2394.13	2082.84	1731.51	1396.72	1088.46	785.64	541.99	292.08	180.63
<u>327.5</u>	3107.63	2929.11	2723.48	2503.44	2272.55	1936.12	1596.18	1288.07	989.56	715.27	479.98	249.58	163.05

VOLNIC GON-1800 分布光度计,伏达光电技术有限公司

地址:杭州市益乐路223#银江科技园1幢3楼,邮编:310012

电话: (+86)571-88858219,88910474, www.volnic.cn

光强数据表 - (续)

	<u>β 40.0</u>	<u>β 42.5</u>	<u>β 45.0</u>	<u>β 47.5</u>	<u>β 50.0</u>	<u>β 52.5</u>	<u>β 55.0</u>	<u>β 57.5</u>	<u>β 60.0</u>	<u>β 62.5</u>	<u>β 65.0</u>	<u>β 67.5</u>	<u>β 70.0</u>
<u>330.0</u>	2982.78	2805.41	2590.89	2378.71	2103.24	1779.21	1456.35	1172.19	883.89	641.10	414.29	227.83	144.50
<u>332.5</u>	2853.19	2652.96	2447.61	2230.05	1923.77	1612.67	1322.72	1049.46	773.89	563.42	345.16	205.19	125.05
<u>335.0</u>	2686.05	2489.56	2294.18	2027.36	1734.76	1439.18	1182.28	920.24	684.15	482.48	272.79	181.77	104.77
<u>337.5</u>	2501.23	2315.89	2087.98	1815.43	1536.83	1280.68	1035.46	784.91	591.47	398.54	227.03	157.62	83.73
<u>340.0</u>	2306.28	2104.23	1853.04	1594.92	1343.44	1116.04	882.67	671.76	496.12	311.82	199.15	132.84	61.99
<u>342.5</u>	2075.41	1846.60	1610.06	1369.84	1161.03	945.69	724.31	565.49	398.34	229.42	170.79	107.47	53.90
<u>345.0</u>	1795.78	1581.60	1359.70	1170.03	973.31	770.06	607.14	457.20	298.35	197.80	142.02	81.58	52.63
<u>347.5</u>	1509.56	1313.46	1143.13	965.38	780.70	622.16	489.16	347.11	214.37	165.97	112.88	55.79	51.24
<u>350.0</u>	1232.05	1081.00	922.27	756.33	612.20	495.52	369.83	235.40	179.94	133.97	83.43	54.07	49.74
<u>352.5</u>	984.77	844.83	697.52	579.34	478.08	368.00	249.31	184.80	145.55	101.82	56.63	52.22	48.14
<u>355.0</u>	734.39	605.35	526.02	439.02	343.53	239.71	181.62	148.57	111.21	69.57	54.37	50.25	46.43
<u>357.5</u>	521.03	454.96	380.83	298.69	208.63	171.67	144.17	112.58	76.93	56.08	51.98	48.16	44.64
<u>360.0</u>	368.96	306.17	235.97	175.21	156.30	133.62	107.12	76.82	57.23	53.21	49.46	45.96	43.06
<u>362.5</u>	217.78	164.13	152.23	136.96	118.27	96.11	70.45	57.69	53.83	50.20	46.81	43.67	42.67
<u>365.0</u>	137.13	127.58	115.08	99.53	80.89	61.13	57.33	53.71	50.28	47.06	44.06	42.80	42.25
<u>367.5</u>	102.64	92.02	78.77	63.12	59.52	56.06	52.74	49.59	46.60	43.81	42.81	42.29	41.83
<u>370.0</u>	69.08	63.23	59.98	56.82	53.76	50.82	48.00	45.33	43.20	42.68	42.20	41.77	41.39
<u>372.5</u>	58.36	55.63	52.96	50.37	47.86	45.44	43.33	42.84	42.39	41.96	41.58	41.24	40.93
<u>375.0</u>	50.02	47.89	45.80	43.78	43.11	42.68	42.28	41.90	41.55	41.23	40.94	40.69	40.47
<u>377.5</u>	43.16	42.80	42.45	42.12	41.80	41.49	41.21	40.94	40.70	40.48	40.30	40.41	40.81
<u>380.0</u>	41.31	41.09	40.87	40.66	40.47	40.29	40.12	39.97	39.86	40.20	40.54	40.88	41.23
<u>382.5</u>	39.44	39.35	39.27	39.19	39.38	39.65	39.93	40.21	40.49	40.78	41.07	41.36	41.66
<u>385.0</u>	39.32	39.54	39.76	39.98	40.20	40.43	40.66	40.89	41.13	41.37	41.60	41.85	42.09
<u>387.5</u>	40.32	40.49	40.67	40.85	41.03	41.21	41.40	41.58	41.77	41.96	42.14	42.33	42.52
<u>390.0</u>	41.32	41.45	41.59	41.73	41.86	42.00	42.14	42.28	42.41	42.55	42.69	42.82	42.96
	<u>β 72.5</u>	<u>β 75.0</u>	<u>β 77.5</u>	<u>β 80.0</u>	<u>β 82.5</u>	<u>β 85.0</u>	<u>β 87.5</u>	<u>β 90.0</u>					
<u>3-90.0</u>	77.77	77.99	78.20	78.41	78.62	78.84	79.05	44.06					
<u>3-87.5</u>	78.15	78.31	78.47	78.63	78.79	78.95	79.11	44.06					
<u>3-85.0</u>	78.52	78.64	78.75	78.85	78.96	79.06	79.16	44.06					
<u>3-82.5</u>	78.90	78.96	79.02	79.08	79.13	79.18	79.22	44.06					
<u>3-80.0</u>	79.28	79.29	79.30	79.30	79.30	79.29	79.28	44.06					
<u>3-77.5</u>	79.66	79.62	79.57	79.52	79.46	79.40	79.33	44.06					
<u>3-75.0</u>	80.04	79.95	79.85	79.74	79.63	79.52	79.39	44.06					
<u>3-72.5</u>	80.67	80.27	80.12	79.97	79.80	79.63	79.45	44.06					
<u>3-70.0</u>	82.00	80.70	80.40	80.19	79.97	79.74	79.50	44.06					
<u>3-67.5</u>	83.32	81.80	80.67	80.41	80.13	79.85	79.56	44.06					
<u>3-65.0</u>	84.60	82.88	81.24	80.62	80.30	79.96	79.62	44.06					
<u>3-62.5</u>	85.85	83.93	82.10	80.84	80.46	80.07	79.67	44.06					
<u>3-60.0</u>	87.07	84.96	82.94	81.05	80.62	80.18	79.72	44.06					
<u>3-57.5</u>	88.24	85.95	83.76	81.67	80.78	80.28	79.78	44.06					
<u>3-55.0</u>	89.38	86.91	84.54	82.29	80.93	80.39	79.83	44.06					
<u>3-52.5</u>	93.02	87.83	85.31	82.89	81.09	80.49	79.88	44.06					
<u>3-50.0</u>	96.83	88.72	86.04	83.47	81.24	80.59	79.93	44.06					

IES Report---投光灯

光度数据文件:KF-E-100W2 LED PHILIPS 3030 5700K.IES

光强数据表 - (续)

	<u>β 72.5</u>	<u>β 75.0</u>	<u>β 77.5</u>	<u>β 80.0</u>	<u>β 82.5</u>	<u>β 85.0</u>	<u>β 87.5</u>	<u>β 90.0</u>
<u>3-47.5</u>	100.50	89.89	86.74	84.03	81.45	80.69	79.98	44.06
<u>3-45.0</u>	104.01	92.89	87.40	84.56	81.84	80.78	80.03	44.06
<u>3-42.5</u>	107.35	95.75	88.04	85.07	82.22	80.87	80.07	44.06
<u>3-40.0</u>	110.53	98.47	88.64	85.55	82.59	80.96	80.12	44.06
<u>3-37.5</u>	113.52	101.04	89.20	86.00	82.93	81.05	80.16	44.06
<u>3-35.0</u>	116.34	103.45	90.70	86.43	83.25	81.13	80.20	44.06
<u>3-32.5</u>	118.96	105.71	92.59	86.83	83.56	81.21	80.24	44.06
<u>3-30.0</u>	129.51	107.80	94.34	87.19	83.84	81.28	80.28	44.06
<u>3-27.5</u>	164.31	109.73	95.96	87.53	84.10	81.36	80.31	44.06
<u>3-25.0</u>	197.12	111.49	97.44	87.84	84.34	81.42	80.35	44.06
<u>3-22.5</u>	227.80	113.07	98.78	88.12	84.56	81.49	80.38	44.06
<u>3-20.0</u>	256.20	114.48	99.98	88.37	84.76	81.55	80.41	44.06
<u>3-17.5</u>	282.18	115.71	101.03	88.58	84.94	81.60	80.44	44.06
<u>3-15.0</u>	305.57	116.76	101.94	88.77	85.09	81.65	80.46	44.06
<u>3-12.5</u>	326.22	117.64	102.70	88.92	85.23	81.70	80.48	44.06
<u>3-10.0</u>	343.98	118.33	103.31	89.05	85.34	81.74	80.50	44.06
<u>3-7.5</u>	358.69	118.84	103.77	89.14	85.42	81.78	80.52	44.06
<u>3-5.0</u>	370.19	119.18	104.09	89.21	85.49	81.81	80.54	44.06
<u>3-2.5</u>	378.35	119.33	104.26	89.24	85.53	81.84	80.55	44.06
<u>30.0</u>	167.82	50.46	46.67	42.89	42.20	41.52	42.79	44.06
<u>32.5</u>	166.08	50.65	46.75	42.89	42.20	41.51	42.78	44.06
<u>35.0</u>	162.78	50.79	46.78	42.89	42.18	41.50	42.78	44.06
<u>37.5</u>	157.98	50.88	46.77	42.88	42.16	41.50	42.78	44.06
<u>310.0</u>	151.73	50.91	46.72	42.87	42.14	41.51	42.78	44.06
<u>312.5</u>	144.09	50.89	46.62	42.85	42.12	41.52	42.79	44.06
<u>315.0</u>	135.14	50.80	46.48	42.82	42.09	41.53	42.80	44.06
<u>317.5</u>	124.93	50.64	46.28	42.79	42.05	41.55	42.81	44.06
<u>320.0</u>	113.52	50.42	46.03	42.74	42.01	41.58	42.82	44.06
<u>322.5</u>	100.99	50.13	45.73	42.69	41.96	41.61	42.83	44.06
<u>325.0</u>	87.39	49.77	45.38	42.63	41.91	41.64	42.85	44.06
<u>327.5</u>	72.78	49.34	44.97	42.57	41.86	41.68	42.87	44.06
<u>330.0</u>	57.23	48.83	44.50	42.50	41.79	41.72	42.89	44.06
<u>332.5</u>	52.85	48.25	43.98	42.41	41.73	41.77	42.91	44.06
<u>335.0</u>	52.12	47.59	43.41	42.32	41.66	41.82	42.94	44.06
<u>337.5</u>	51.30	46.86	42.96	42.23	41.58	41.87	42.97	44.06
<u>340.0</u>	50.37	46.05	42.83	42.12	41.50	41.93	43.00	44.06
<u>342.5</u>	49.35	45.17	42.69	42.01	41.41	42.00	43.03	44.06
<u>345.0</u>	48.24	44.22	42.54	41.89	41.32	42.07	43.06	44.06
<u>347.5</u>	47.04	43.21	42.38	41.76	41.23	42.14	43.10	44.06
<u>350.0</u>	45.76	42.87	42.21	41.63	41.29	42.21	43.14	44.06
<u>352.5</u>	44.39	42.65	42.03	41.48	41.41	42.29	43.18	44.06
<u>355.0</u>	43.07	42.41	41.83	41.34	41.53	42.38	43.22	44.06
<u>357.5</u>	42.77	42.16	41.63	41.18	41.66	42.46	43.26	44.06

VOLNIC GON-1800 分布光度计,伏达光电技术有限公司

地址:杭州市益乐路223#银江科技园1幢3楼,邮编:310012

电话: (+86)571-88858219,88910474,www.volnic.cn

IES Report---投光灯


光度数据文件:KF-E-100W2 LED PHILIPS 3030 5700K.IES

光强数据表 - (续)

	<u>β 72.5</u>	<u>β 75.0</u>	<u>β 77.5</u>	<u>β 80.0</u>	<u>β 82.5</u>	<u>β 85.0</u>	<u>β 87.5</u>	<u>β 90.0</u>
<u>360.0</u>	42.45	41.90	41.43	41.04	41.79	42.55	43.30	44.06
<u>362.5</u>	42.12	41.63	41.21	41.22	41.93	42.64	43.35	44.06
<u>365.0</u>	41.77	41.35	40.99	41.41	42.07	42.74	43.40	44.06
<u>367.5</u>	41.42	41.06	40.99	41.61	42.22	42.83	43.45	44.06
<u>370.0</u>	41.05	40.76	41.24	41.80	42.37	42.93	43.50	44.06
<u>372.5</u>	40.67	40.99	41.50	42.01	42.52	43.03	43.55	44.06
<u>375.0</u>	40.84	41.30	41.75	42.21	42.67	43.14	43.60	44.06
<u>377.5</u>	41.21	41.61	42.02	42.42	42.83	43.24	43.65	44.06
<u>380.0</u>	41.58	41.93	42.28	42.64	42.99	43.35	43.70	44.06
<u>382.5</u>	41.95	42.25	42.55	42.85	43.15	43.45	43.76	44.06
<u>385.0</u>	42.33	42.58	42.82	43.07	43.32	43.56	43.81	44.06
<u>387.5</u>	42.71	42.91	43.10	43.29	43.48	43.67	43.87	44.06
<u>390.0</u>	43.10	43.24	43.37	43.51	43.65	43.78	43.92	44.06


二维光强分布曲线

极坐标配光曲线



β Plane: β-2.5
B Planeβ-2.5 B2.5

三维光强分布



曲线颜色: 3D曲线 灯具 垂直角度 水平角度
视角: 方向:0 倾斜:0 滚动:0 旋转:0

区域光通量表

	β -90.0	β -87.5	β -85.0	β -82.5	β -80.0	β -77.5	β -75.0	β -72.5	β -70.0	β -67.5	β -65.0	β -62.5	β -60.0	β -5
<u>3-90.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.04	0.04	0.05	0.06	0.06	
<u>3-87.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.04	0.04	0.05	0.05	0.06	
<u>3-85.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.04	0.04	0.05	0.05	0.06	
<u>3-82.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.04	0.04	0.05	0.05	0.06	
<u>3-80.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.04	0.04	0.05	0.05	0.06	
<u>3-77.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.04	0.04	0.05	0.06	0.06	
<u>3-75.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.04	0.04	0.05	0.06	0.06	
<u>3-72.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.04	0.04	0.05	0.06	0.06	
<u>3-70.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.04	0.04	0.05	0.06	0.07	
<u>3-67.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.04	0.05	0.05	0.06	0.07	
<u>3-65.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.04	0.05	0.06	0.07	0.08	
<u>3-62.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.04	0.05	0.06	0.07	0.08	
<u>3-60.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.04	0.05	0.06	0.07	0.09	
<u>3-57.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.04	0.05	0.06	0.08	0.10	
<u>3-55.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.04	0.05	0.07	0.08	0.11	
<u>3-52.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.04	0.06	0.07	0.09	0.12	
<u>3-50.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.05	0.06	0.08	0.10	0.15	
<u>3-47.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.05	0.06	0.08	0.11	0.24	
<u>3-45.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.05	0.07	0.09	0.15	0.34	
<u>3-42.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.05	0.07	0.09	0.23	0.45	
<u>3-40.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.05	0.07	0.12	0.31	0.55	
<u>3-37.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.05	0.07	0.18	0.39	0.64	
<u>3-35.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.06	0.08	0.24	0.46	0.74	
<u>3-32.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.06	0.11	0.29	0.53	0.85	
<u>3-30.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.06	0.14	0.35	0.60	0.94	
<u>3-27.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.06	0.17	0.40	0.67	1.03	
<u>3-25.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.07	0.21	0.44	0.74	1.11	
<u>3-22.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.07	0.24	0.48	0.80	1.19	
<u>3-20.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.09	0.27	0.52	0.85	1.25	
<u>3-17.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.10	0.30	0.55	0.90	1.31	
<u>3-15.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.11	0.32	0.58	0.94	1.36	
<u>3-12.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.12	0.33	0.61	0.97	1.40	
<u>3-10.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.13	0.35	0.63	1.00	1.43	
<u>3-7.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.14	0.35	0.64	1.02	1.45	
<u>3-5.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.14	0.36	0.65	1.02	1.46	
<u>3-2.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.14	0.36	0.65	1.03	1.46	
<u>30.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.14	0.36	0.65	1.02	1.46	
<u>32.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.14	0.35	0.64	1.01	1.45	
<u>35.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.13	0.34	0.63	1.00	1.43	
<u>37.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.13	0.33	0.61	0.97	1.40	
<u>310.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.12	0.32	0.58	0.94	1.36	
<u>312.5</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.10	0.30	0.55	0.90	1.31	
<u>315.0</u>	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.09	0.27	0.51	0.85	1.25	
<u>317.5</u>														

区域光通量表 - (续)

	β -90.0	β -87.5	β -85.0	β -82.5	β -80.0	β -77.5	β -75.0	β -72.5	β -70.0	β -67.5	β -65.0	β -62.5	β -60.0	β -5
317.5														
320.0	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.08	0.25	0.47	0.80	1.19	
322.5	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.07	0.22	0.43	0.74	1.11	
325.0	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.06	0.19	0.39	0.67	1.03	
327.5	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.04	0.05	0.15	0.35	0.60	0.94	
330.0	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.05	0.09	0.25	0.46	0.74	
332.5	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.05	0.07	0.20	0.39	0.63	
335.0	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.04	0.06	0.15	0.32	0.53	
337.5	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.04	0.06	0.10	0.26	0.44	
340.0	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.04	0.05	0.07	0.18	0.36	
342.5	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.04	0.05	0.07	0.12	0.27	
345.0	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.04	0.05	0.06	0.08	0.18	
347.5	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.04	0.04	0.06	0.07	0.11	
350.0	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.04	0.05	0.07	0.09	
352.5	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.04	0.05	0.06	0.08	
355.0	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.04	0.05	0.06	0.07	
357.5	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.04	0.04	0.05	0.06	
360.0	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.04	0.04	0.05	0.06	
362.5	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.03	0.04	0.05	0.05	
365.0	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.03	0.04	0.04	0.05	
367.5	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.03	0.04	0.04	0.05	
370.0	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.03	0.04	0.04	0.04	
372.5	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.03	0.04	0.04	0.04	
375.0	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.04	0.04	
377.5	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.04	0.04	
380.0	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.04	0.04	
382.5	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.04	0.04	
385.0	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.03	0.04	0.04	0.04	
387.5	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.03	0.04	0.04	0.04	
390.0	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.03	0.03	0.03	0.04	0.04	0.04	
Total	0.14	0.40	0.67	0.94	1.22	1.54	1.95	2.52	4.25	8.95	16.24	26.51	39.44	
	β -57.5	β -55.0	β -52.5	β -50.0	β -47.5	β -45.0	β -42.5	β -40.0	β -37.5	β -35.0	β -32.5	β -30.0	β -27.5	β -2
3-90.0	0.07	0.07	0.08	0.08	0.09	0.09	0.10	0.11	0.11	0.12	0.12	0.13	0.13	
3-87.5	0.07	0.07	0.08	0.08	0.09	0.10	0.10	0.11	0.11	0.12	0.12	0.13	0.13	
3-85.0	0.07	0.07	0.08	0.08	0.09	0.10	0.10	0.11	0.11	0.12	0.13	0.13	0.14	
3-82.5	0.07	0.07	0.08	0.09	0.09	0.10	0.11	0.11	0.12	0.13	0.14	0.14	0.15	
3-80.0	0.07	0.07	0.08	0.09	0.10	0.10	0.11	0.12	0.13	0.14	0.15	0.15	0.16	
3-77.5	0.07	0.08	0.08	0.09	0.10	0.11	0.12	0.13	0.14	0.15	0.17	0.18	0.19	
3-75.0	0.07	0.08	0.09	0.10	0.11	0.12	0.14	0.15	0.16	0.18	0.19	0.20	0.21	
3-72.5	0.07	0.08	0.10	0.11	0.12	0.14	0.15	0.17	0.18	0.20	0.22	0.24	0.26	
3-70.0	0.08	0.09	0.10	0.12	0.13	0.15	0.17	0.19	0.22	0.24	0.27	0.29	0.31	
3-67.5	0.09	0.10	0.11	0.13	0.15	0.18	0.20	0.23	0.26	0.30	0.38	0.48	0.59	
3-65.0	0.09	0.11	0.13	0.15	0.18	0.20	0.24	0.32	0.45	0.60	0.76	0.92	1.07	
3-62.5														

IES Report---投光灯
光度数据文件:KF-E-100W2 LED PHILIPS 3030 5700K.IES

区域光通量表 - (续)

	β -57.5	β -55.0	β -52.5	β -50.0	β -47.5	β -45.0	β -42.5	β -40.0	β -37.5	β -35.0	β -32.5	β -30.0	β -27.5	β -2
<u>3-62.5</u>														
<u>3-60.0</u>	0.10	0.12	0.14	0.17	0.20	0.29	0.45	0.63	0.81	1.00	1.18	1.38	1.57	
<u>3-57.5</u>	0.11	0.13	0.16	0.22	0.37	0.55	0.75	0.96	1.17	1.41	1.65	1.89	2.12	
<u>3-55.0</u>	0.12	0.15	0.23	0.41	0.61	0.82	1.05	1.31	1.58	1.86	2.14	2.41	2.68	
<u>3-52.5</u>	0.13	0.22	0.41	0.62	0.85	1.10	1.39	1.69	2.00	2.31	2.63	2.95	3.26	
<u>3-50.0</u>	0.19	0.38	0.59	0.83	1.11	1.41	1.74	2.07	2.42	2.78	3.14	3.49	3.84	
<u>3-47.5</u>	0.32	0.53	0.77	1.06	1.38	1.72	2.08	2.46	2.85	3.25	3.64	4.00	4.33	
<u>3-45.0</u>	0.45	0.69	0.97	1.30	1.65	2.03	2.43	2.85	3.27	3.69	4.06	4.41	4.75	
<u>3-42.5</u>	0.57	0.84	1.17	1.53	1.92	2.33	2.77	3.22	3.65	4.04	4.43	4.80	5.13	
<u>3-40.0</u>	0.70	1.01	1.37	1.76	2.18	2.64	3.11	3.55	3.97	4.38	4.77	5.09	5.37	
<u>3-37.5</u>	0.83	1.18	1.56	1.99	2.45	2.93	3.39	3.83	4.27	4.67	5.00	5.32	5.61	
<u>3-35.0</u>	0.97	1.34	1.75	2.21	2.69	3.18	3.63	4.09	4.52	4.87	5.22	5.55	5.87	
<u>3-32.5</u>	1.10	1.49	1.93	2.42	2.92	3.39	3.87	4.32	4.70	5.07	5.43	5.79	6.15	
<u>3-30.0</u>	1.22	1.64	2.11	2.61	3.10	3.59	4.07	4.48	4.88	5.27	5.66	6.04	6.41	
<u>3-27.5</u>	1.33	1.78	2.27	2.78	3.27	3.78	4.23	4.64	5.05	5.47	5.88	6.27	6.63	
<u>3-25.0</u>	1.44	1.91	2.42	2.92	3.43	3.93	4.36	4.79	5.22	5.66	6.08	6.47	6.84	
<u>3-22.5</u>	1.54	2.02	2.55	3.05	3.57	4.04	4.49	4.93	5.39	5.84	6.26	6.66	7.04	
<u>3-20.0</u>	1.63	2.13	2.65	3.17	3.69	4.15	4.60	5.07	5.54	5.99	6.42	6.83	7.21	
<u>3-17.5</u>	1.71	2.23	2.74	3.27	3.78	4.24	4.71	5.19	5.67	6.13	6.57	6.98	7.36	
<u>3-15.0</u>	1.78	2.30	2.82	3.36	3.85	4.33	4.81	5.30	5.79	6.25	6.69	7.10	7.49	
<u>3-12.5</u>	1.84	2.37	2.89	3.43	3.92	4.40	4.90	5.40	5.88	6.35	6.80	7.21	7.60	
<u>3-10.0</u>	1.89	2.42	2.94	3.48	3.97	4.47	4.97	5.48	5.96	6.44	6.88	7.30	7.68	
<u>3-7.5</u>	1.93	2.45	2.98	3.52	4.01	4.52	5.03	5.54	6.03	6.51	6.95	7.37	7.74	
<u>3-5.0</u>	1.95	2.48	3.01	3.54	4.04	4.55	5.07	5.58	6.08	6.56	7.00	7.42	7.79	
<u>3-2.5</u>	1.96	2.49	3.02	3.55	4.06	4.57	5.10	5.61	6.11	6.59	7.03	7.45	7.82	
<u>30.0</u>	1.97	2.49	3.02	3.55	4.06	4.58	5.11	5.62	6.12	6.60	7.05	7.46	7.83	
<u>32.5</u>	1.96	2.48	3.02	3.55	4.06	4.58	5.10	5.61	6.11	6.59	7.04	7.45	7.82	
<u>35.0</u>	1.95	2.47	3.01	3.54	4.04	4.56	5.07	5.58	6.08	6.56	7.00	7.42	7.79	
<u>37.5</u>	1.92	2.45	2.99	3.52	4.02	4.53	5.03	5.54	6.03	6.51	6.95	7.36	7.73	
<u>310.0</u>	1.89	2.41	2.95	3.49	3.98	4.48	4.98	5.48	5.96	6.44	6.87	7.29	7.66	
<u>312.5</u>	1.84	2.36	2.90	3.44	3.93	4.42	4.91	5.40	5.88	6.35	6.78	7.20	7.57	
<u>315.0</u>	1.78	2.30	2.83	3.38	3.87	4.35	4.83	5.31	5.78	6.24	6.68	7.08	7.47	
<u>317.5</u>	1.71	2.22	2.75	3.30	3.80	4.27	4.74	5.20	5.66	6.11	6.55	6.95	7.33	
<u>320.0</u>	1.63	2.13	2.65	3.19	3.71	4.17	4.63	5.08	5.54	5.97	6.40	6.80	7.17	
<u>322.5</u>	1.54	2.03	2.54	3.07	3.61	4.07	4.51	4.96	5.39	5.82	6.23	6.63	6.99	
<u>325.0</u>	1.44	1.91	2.41	2.93	3.48	3.96	4.39	4.82	5.24	5.65	6.05	6.43	6.80	
<u>327.5</u>	1.34	1.78	2.27	2.78	3.31	3.83	4.25	4.67	5.08	5.47	5.86	6.22	6.58	
<u>330.0</u>	1.22	1.64	2.11	2.61	3.12	3.65	4.11	4.51	4.91	5.29	5.65	6.01	6.34	
<u>332.5</u>	1.10	1.50	1.94	2.42	2.91	3.43	3.94	4.35	4.73	5.09	5.45	5.78	6.10	
<u>335.0</u>	0.97	1.34	1.76	2.21	2.69	3.18	3.69	4.17	4.54	4.89	5.23	5.55	5.86	
<u>337.5</u>	0.83	1.18	1.57	2.00	2.45	2.92	3.40	3.90	4.35	4.69	5.02	5.32	5.61	
<u>340.0</u>	0.69	1.01	1.37	1.77	2.19	2.64	3.10	3.57	4.05	4.47	4.80	5.09	5.37	
<u>342.5</u>	0.56	0.84	1.17	1.54	1.93	2.34	2.77	3.21	3.66	4.12	4.54	4.86	5.12	
<u>345.0</u>	0.45	0.66	0.97	1.30	1.66	2.04	2.44	2.84	3.26	3.68	4.10	4.51	4.86	

VOLNIC GON-1800 分布光度计,伏达光电技术有限公司
地址:杭州市益乐路223#银江科技园1幢3楼,邮编:310012
电话: (+86)571-88858219,88910474,www.volnic.cn

区域光通量表 - (续)

	β -57.5	β -55.0	β -52.5	β -50.0	β -47.5	β -45.0	β -42.5	β -40.0	β -37.5	β -35.0	β -32.5	β -30.0	β -27.5	β -2
345.0														
347.5	0.35	0.52	0.75	1.05	1.38	1.72	2.09	2.46	2.85	3.23	3.61	4.00	4.37	
350.0	0.24	0.40	0.57	0.80	1.10	1.41	1.74	2.07	2.42	2.77	3.12	3.46	3.80	
352.5	0.14	0.28	0.43	0.59	0.81	1.09	1.38	1.68	1.99	2.31	2.62	2.92	3.22	
355.0	0.10	0.16	0.29	0.44	0.59	0.77	1.02	1.29	1.56	1.84	2.11	2.39	2.65	
357.5	0.09	0.11	0.16	0.28	0.42	0.55	0.70	0.90	1.13	1.37	1.61	1.85	2.08	
360.0	0.08	0.09	0.11	0.15	0.25	0.37	0.49	0.61	0.74	0.91	1.11	1.32	1.52	
362.5	0.07	0.08	0.10	0.11	0.14	0.19	0.29	0.40	0.50	0.60	0.70	0.82	0.96	
365.0	0.06	0.07	0.08	0.10	0.12	0.13	0.16	0.20	0.28	0.37	0.45	0.53	0.61	
367.5	0.06	0.06	0.07	0.08	0.10	0.11	0.13	0.14	0.16	0.19	0.23	0.29	0.35	
370.0	0.05	0.06	0.07	0.07	0.08	0.09	0.10	0.12	0.13	0.15	0.16	0.18	0.19	
372.5	0.05	0.05	0.06	0.07	0.07	0.08	0.09	0.10	0.11	0.12	0.13	0.14	0.15	
375.0	0.05	0.05	0.05	0.06	0.06	0.07	0.08	0.08	0.09	0.10	0.10	0.11	0.12	
377.5	0.04	0.05	0.05	0.05	0.06	0.06	0.07	0.07	0.08	0.08	0.09	0.09	0.10	
380.0	0.04	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.08	0.08	
382.5	0.04	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.07	
385.0	0.04	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.07	
387.5	0.04	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.07	
390.0	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.07	
Total	54.99	72.63	91.76	112.02	132.51	153.27	174.15	195.00	215.51	235.54	254.75	273.05	290.10	
	β -25.0	β -22.5	β -20.0	β -17.5	β -15.0	β -12.5	β -10.0	β -7.5	β -5.0	β -2.5	β 0.0	β 2.5	β 5.0	β 7.5
3-90.0	0.13	0.13	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14
3-87.5	0.13	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.15	0.15	0.15	0.15	0.14
3-85.0	0.14	0.14	0.14	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15
3-82.5	0.14	0.14	0.14	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15
3-80.0	0.15	0.15	0.16	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.17	0.17	0.16
3-77.5	0.16	0.17	0.17	0.18	0.18	0.18	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
3-75.0	0.19	0.20	0.21	0.21	0.22	0.22	0.22	0.22	0.23	0.23	0.23	0.23	0.23	0.22
3-72.5	0.22	0.23	0.24	0.25	0.26	0.26	0.27	0.27	0.28	0.28	0.28	0.28	0.28	0.27
3-70.0	0.27	0.29	0.30	0.31	0.32	0.33	0.33	0.34	0.34	0.34	0.34	0.34	0.34	0.34
3-67.5	0.34	0.38	0.43	0.47	0.52	0.56	0.60	0.63	0.64	0.65	0.65	0.64	0.62	
3-65.0	0.70	0.80	0.90	0.98	1.05	1.10	1.15	1.18	1.20	1.20	1.19	1.17	1.14	
3-62.5	1.20	1.32	1.43	1.53	1.62	1.70	1.76	1.80	1.83	1.83	1.82	1.79	1.75	
3-60.0	1.74	1.90	2.04	2.17	2.28	2.38	2.45	2.51	2.54	2.55	2.54	2.51	2.45	
3-57.5	2.32	2.51	2.68	2.83	2.96	3.07	3.16	3.22	3.26	3.27	3.26	3.22	3.16	
3-55.0	2.92	3.14	3.34	3.51	3.66	3.79	3.89	3.96	4.00	4.01	3.99	3.94	3.87	
3-52.5	3.54	3.79	4.01	4.19	4.35	4.48	4.58	4.65	4.69	4.71	4.69	4.65	4.57	
3-50.0	4.15	4.38	4.59	4.78	4.94	5.09	5.20	5.29	5.35	5.38	5.37	5.33	5.25	
3-47.5	4.63	4.88	5.11	5.32	5.49	5.63	5.73	5.80	5.85	5.87	5.87	5.84	5.79	
3-45.0	5.07	5.33	5.53	5.69	5.83	5.95	6.04	6.12	6.16	6.18	6.18	6.15	6.10	
3-42.5	5.39	5.62	5.81	5.98	6.13	6.26	6.37	6.45	6.50	6.53	6.52	6.49	6.42	
3-40.0	5.64	5.88	6.10	6.30	6.47	6.62	6.74	6.83	6.88	6.91	6.90	6.86	6.79	
3-37.5	5.90	6.18	6.43	6.65	6.83	6.99	7.11	7.19	7.25	7.27	7.26	7.22	7.14	
3-35.0	6.19	6.49	6.76	6.98	7.16	7.32	7.44	7.53	7.59	7.62	7.61	7.56	7.49	

区域光通量表 - (续)

	β -25.0	β -22.5	β -20.0	β -17.5	β -15.0	β -12.5	β -10.0	β -7.5	β -5.0	β -2.5	β 0.0	β 2.5	β 5.0	β 7.5
<u>3-35.0</u>														
<u>3-32.5</u>	6.48	6.78	7.04	7.27	7.47	7.63	7.76	7.86	7.92	7.94	7.93	7.89	7.81	
<u>3-30.0</u>	6.73	7.04	7.31	7.56	7.75	7.92	8.05	8.15	8.21	8.24	8.23	8.18	8.10	
<u>3-27.5</u>	6.97	7.28	7.56	7.80	8.01	8.19	8.32	8.42	8.48	8.51	8.50	8.45	8.37	
<u>3-25.0</u>	7.19	7.50	7.78	8.04	8.25	8.42	8.56	8.66	8.72	8.75	8.74	8.69	8.61	
<u>3-22.5</u>	7.38	7.70	7.99	8.24	8.46	8.64	8.78	8.87	8.94	8.96	8.95	8.91	8.83	
<u>3-20.0</u>	7.56	7.88	8.16	8.42	8.64	8.82	8.95	9.05	9.11	9.14	9.13	9.09	9.01	
<u>3-17.5</u>	7.71	8.03	8.32	8.57	8.78	8.97	9.11	9.20	9.26	9.29	9.28	9.24	9.17	
<u>3-15.0</u>	7.84	8.15	8.44	8.69	8.91	9.09	9.22	9.31	9.37	9.39	9.39	9.35	9.27	
<u>3-12.5</u>	7.94	8.26	8.54	8.79	9.00	9.17	9.30	9.40	9.45	9.47	9.46	9.43	9.36	
<u>3-10.0</u>	8.03	8.34	8.62	8.86	9.06	9.23	9.36	9.44	9.49	9.52	9.51	9.48	9.42	
<u>3-7.5</u>	8.10	8.40	8.68	8.91	9.11	9.27	9.39	9.48	9.53	9.55	9.55	9.52	9.47	
<u>3-5.0</u>	8.14	8.44	8.72	8.94	9.14	9.29	9.41	9.49	9.54	9.57	9.57	9.54	9.50	
<u>3-2.5</u>	8.17	8.47	8.74	8.96	9.16	9.31	9.43	9.50	9.55	9.57	9.58	9.56	9.52	
<u>30.0</u>	8.17	8.47	8.74	8.97	9.16	9.31	9.43	9.51	9.56	9.57	9.57	9.56	9.52	
<u>32.5</u>	8.16	8.46	8.73	8.96	9.16	9.31	9.43	9.51	9.56	9.58	9.56	9.51	9.45	
<u>35.0</u>	8.13	8.43	8.71	8.94	9.14	9.30	9.43	9.51	9.56	9.58	9.56	9.52	9.45	
<u>37.5</u>	8.08	8.39	8.67	8.90	9.12	9.27	9.40	9.50	9.55	9.56	9.55	9.50	9.44	
<u>310.0</u>	8.01	8.32	8.61	8.85	9.06	9.24	9.36	9.46	9.52	9.53	9.52	9.47	9.40	
<u>312.5</u>	7.92	8.24	8.52	8.77	8.98	9.17	9.31	9.40	9.45	9.47	9.46	9.41	9.33	
<u>315.0</u>	7.81	8.13	8.41	8.66	8.88	9.06	9.21	9.32	9.37	9.39	9.38	9.33	9.24	
<u>317.5</u>	7.67	7.99	8.27	8.52	8.75	8.94	9.08	9.18	9.25	9.27	9.26	9.20	9.11	
<u>320.0</u>	7.52	7.83	8.11	8.36	8.58	8.76	8.92	9.03	9.09	9.11	9.10	9.05	8.96	
<u>322.5</u>	7.34	7.65	7.92	8.17	8.39	8.57	8.71	8.82	8.89	8.92	8.91	8.85	8.76	
<u>325.0</u>	7.13	7.44	7.72	7.95	8.16	8.34	8.49	8.60	8.67	8.70	8.68	8.63	8.54	
<u>327.5</u>	6.91	7.20	7.47	7.72	7.92	8.10	8.24	8.35	8.42	8.45	8.43	8.38	8.29	
<u>330.0</u>	6.66	6.96	7.22	7.44	7.65	7.84	7.98	8.08	8.15	8.17	8.16	8.12	8.03	
<u>332.5</u>	6.40	6.68	6.94	7.17	7.37	7.54	7.68	7.78	7.85	7.88	7.87	7.82	7.73	
<u>335.0</u>	6.14	6.40	6.64	6.86	7.06	7.23	7.37	7.46	7.53	7.55	7.54	7.50	7.42	
<u>337.5</u>	5.88	6.12	6.35	6.55	6.74	6.90	7.03	7.12	7.19	7.21	7.21	7.16	7.09	
<u>340.0</u>	5.62	5.86	6.07	6.26	6.42	6.57	6.68	6.77	6.83	6.85	6.85	6.81	6.74	
<u>342.5</u>	5.37	5.59	5.79	5.97	6.13	6.26	6.36	6.44	6.49	6.52	6.51	6.48	6.42	
<u>345.0</u>	5.11	5.32	5.51	5.68	5.82	5.95	6.05	6.13	6.18	6.20	6.20	6.17	6.11	
<u>347.5</u>	4.73	5.01	5.22	5.38	5.51	5.63	5.72	5.79	5.84	5.86	5.86	5.83	5.77	
<u>350.0</u>	4.12	4.43	4.70	4.94	5.13	5.27	5.37	5.44	5.48	5.50	5.49	5.46	5.40	
<u>352.5</u>	3.51	3.78	4.03	4.26	4.46	4.62	4.76	4.85	4.92	4.95	4.94	4.90	4.82	
<u>355.0</u>	2.91	3.15	3.37	3.57	3.75	3.90	4.02	4.12	4.18	4.21	4.21	4.17	4.11	
<u>357.5</u>	2.30	2.51	2.71	2.88	3.04	3.17	3.28	3.37	3.42	3.45	3.45	3.42	3.36	
<u>360.0</u>	1.71	1.89	2.05	2.20	2.33	2.44	2.54	2.61	2.65	2.67	2.67	2.64	2.58	
<u>362.5</u>	1.12	1.27	1.42	1.55	1.66	1.75	1.83	1.88	1.92	1.93	1.93	1.90	1.86	
<u>365.0</u>	0.68	0.76	0.84	0.93	1.01	1.08	1.15	1.19	1.23	1.24	1.24	1.22	1.19	
<u>367.5</u>	0.41	0.47	0.52	0.57	0.62	0.65	0.68	0.71	0.72	0.73	0.73	0.72	0.71	
<u>370.0</u>	0.21	0.23	0.26	0.29	0.31	0.34	0.36	0.38	0.39	0.40	0.40	0.39	0.38	
<u>372.5</u>	0.16	0.17	0.18	0.18	0.19	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.20	

区域光通量表 - (续)

	β -25.0	β -22.5	β -20.0	β -17.5	β -15.0	β -12.5	β -10.0	β -7.5	β -5.0	β -2.5	β 0.0	β 2.5	β 5.0	β 7.5
372.5														
375.0	0.12	0.13	0.14	0.14	0.15	0.15	0.15	0.16	0.16	0.16	0.16	0.16	0.16	0.16
377.5	0.10	0.10	0.11	0.11	0.11	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12
380.0	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.10	0.10	0.09
382.5	0.07	0.07	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
385.0	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
387.5	0.07	0.07	0.07	0.07	0.07	0.07	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
390.0														
Total	305.86	320.08	332.84	344.07	353.78	361.83	368.21	372.82	375.70	376.89	376.44	374.35	370.67	
	β 7.5	β 10.0	β 12.5	β 15.0	β 17.5	β 20.0	β 22.5	β 25.0	β 27.5	β 30.0	β 32.5	β 35.0	β 37.5	β 40
3-90.0	0.14	0.14	0.14	0.14	0.14	0.13	0.13	0.13	0.12	0.12	0.12	0.12	0.11	
3-87.5	0.14	0.14	0.14	0.14	0.14	0.13	0.13	0.13	0.13	0.12	0.12	0.12	0.11	
3-85.0	0.15	0.15	0.15	0.15	0.14	0.14	0.14	0.13	0.13	0.13	0.12	0.12	0.12	
3-82.5	0.16	0.16	0.16	0.16	0.15	0.15	0.15	0.14	0.14	0.14	0.13	0.13	0.12	
3-80.0	0.19	0.18	0.18	0.18	0.17	0.17	0.16	0.16	0.15	0.15	0.14	0.13	0.13	
3-77.5	0.22	0.22	0.22	0.21	0.21	0.20	0.19	0.18	0.18	0.17	0.16	0.15	0.14	
3-75.0	0.27	0.27	0.26	0.25	0.24	0.23	0.23	0.22	0.21	0.20	0.18	0.17	0.16	
3-72.5	0.34	0.33	0.32	0.31	0.30	0.29	0.28	0.26	0.25	0.24	0.22	0.20	0.19	
3-70.0	0.59	0.55	0.51	0.46	0.42	0.38	0.34	0.32	0.30	0.30	0.29	0.28	0.25	
3-67.5	1.10	1.04	0.98	0.90	0.82	0.74	0.64	0.55	0.47	0.42	0.39	0.36	0.34	
3-65.0	1.68	1.60	1.50	1.40	1.29	1.17	1.05	0.93	0.84	0.75	0.66	0.56	0.48	
3-62.5	2.37	2.28	2.16	2.03	1.88	1.72	1.54	1.37	1.23	1.12	1.01	0.89	0.77	
3-60.0	3.07	2.96	2.83	2.68	2.51	2.33	2.13	1.92	1.75	1.58	1.40	1.23	1.08	
3-57.5	3.77	3.64	3.49	3.32	3.13	2.92	2.70	2.48	2.29	2.09	1.87	1.65	1.43	
3-55.0	4.46	4.32	4.15	3.95	3.74	3.51	3.26	3.03	2.81	2.59	2.35	2.10	1.84	
3-52.5	5.14	5.00	4.82	4.61	4.37	4.10	3.82	3.57	3.32	3.07	2.81	2.53	2.25	
3-50.0	5.71	5.60	5.45	5.26	5.01	4.72	4.42	4.13	3.83	3.54	3.25	2.95	2.64	
3-47.5	6.02	5.92	5.80	5.66	5.50	5.28	5.01	4.70	4.37	4.02	3.68	3.35	3.01	
3-45.0	6.33	6.22	6.08	5.93	5.76	5.57	5.39	5.18	4.88	4.51	4.13	3.75	3.38	
3-42.5	6.69	6.56	6.40	6.22	6.03	5.83	5.64	5.44	5.22	4.94	4.55	4.14	3.73	
3-40.0	7.04	6.90	6.73	6.54	6.32	6.11	5.91	5.69	5.45	5.19	4.91	4.52	4.08	
3-37.5	7.37	7.23	7.05	6.85	6.62	6.42	6.19	5.95	5.69	5.42	5.13	4.81	4.40	
3-35.0	7.70	7.55	7.36	7.15	6.93	6.71	6.48	6.22	5.94	5.64	5.33	5.01	4.67	
3-32.5	7.98	7.83	7.65	7.44	7.23	7.00	6.75	6.48	6.19	5.87	5.54	5.20	4.85	
3-30.0	8.26	8.10	7.91	7.70	7.51	7.28	7.02	6.73	6.43	6.10	5.75	5.39	5.02	
3-27.5	8.49	8.33	8.15	7.96	7.75	7.52	7.26	6.97	6.65	6.31	5.95	5.57	5.19	
3-25.0	8.71	8.55	8.37	8.19	7.98	7.74	7.47	7.19	6.86	6.51	6.14	5.75	5.35	
3-22.5	8.89	8.74	8.58	8.39	8.18	7.94	7.67	7.37	7.05	6.69	6.32	5.92	5.50	
3-20.0	9.05	8.90	8.75	8.57	8.35	8.11	7.84	7.54	7.21	6.86	6.47	6.07	5.64	
3-17.5	9.17	9.05	8.90	8.71	8.50	8.26	7.98	7.69	7.36	7.01	6.62	6.21	5.78	
3-15.0	9.27	9.15	9.02	8.84	8.62	8.38	8.11	7.81	7.48	7.13	6.75	6.33	5.90	
3-12.5	9.35	9.24	9.10	8.93	8.72	8.49	8.22	7.92	7.59	7.24	6.86	6.44	6.00	
3-10.0	9.40	9.30	9.16	9.00	8.80	8.57	8.31	8.01	7.69	7.33	6.95	6.53	6.09	
3-7.5														

IES Report---投光灯
光度数据文件:KF-E-100W2 LED PHILIPS 3030 5700K.IES

区域光通量表 - (续)

	<u>β 7.5</u>	<u>β 10.0</u>	<u>β 12.5</u>	<u>β 15.0</u>	<u>β 17.5</u>	<u>β 20.0</u>	<u>β 22.5</u>	<u>β 25.0</u>	<u>β 27.5</u>	<u>β 30.0</u>	<u>β 32.5</u>	<u>β 35.0</u>	<u>β 37.5</u>	<u>β 40</u>
<u>3-7.5</u>														
<u>3-5.0</u>	9.44	9.34	9.21	9.05	8.86	8.63	8.38	8.08	7.76	7.41	7.03	6.61	6.17	
<u>3-2.5</u>	9.46	9.37	9.25	9.09	8.91	8.68	8.43	8.14	7.82	7.47	7.09	6.67	6.23	
<u>30.0</u>	9.47	9.38	9.26	9.10	8.92	8.70	8.45	8.16	7.84	7.49	7.11	6.69	6.24	
<u>32.5</u>	9.38	9.27	9.13	8.95	8.75	8.51	8.24	7.93	7.59	7.21	6.81	6.36	5.89	
<u>35.0</u>	9.38	9.26	9.11	8.92	8.71	8.46	8.19	7.88	7.54	7.16	6.76	6.31	5.84	
<u>37.5</u>	9.35	9.22	9.07	8.88	8.66	8.41	8.13	7.81	7.47	7.09	6.69	6.25	5.78	
<u>310.0</u>	9.30	9.17	9.01	8.81	8.59	8.33	8.05	7.73	7.39	7.01	6.61	6.16	5.71	
<u>312.5</u>	9.23	9.09	8.92	8.73	8.49	8.24	7.95	7.63	7.29	6.91	6.51	6.07	5.62	
<u>315.0</u>	9.12	8.98	8.81	8.61	8.38	8.12	7.83	7.51	7.16	6.79	6.39	5.96	5.52	
<u>317.5</u>	8.98	8.84	8.67	8.46	8.24	7.97	7.69	7.37	7.02	6.66	6.25	5.83	5.40	
<u>320.0</u>	8.82	8.66	8.49	8.30	8.07	7.81	7.53	7.21	6.87	6.50	6.10	5.70	5.27	
<u>322.5</u>	8.63	8.46	8.29	8.09	7.87	7.62	7.34	7.03	6.69	6.32	5.94	5.55	5.14	
<u>325.0</u>	8.41	8.25	8.05	7.87	7.65	7.40	7.13	6.83	6.49	6.14	5.77	5.39	5.00	
<u>327.5</u>	8.17	8.01	7.82	7.62	7.41	7.17	6.90	6.60	6.28	5.94	5.59	5.22	4.83	
<u>330.0</u>	7.91	7.75	7.55	7.35	7.14	6.91	6.65	6.36	6.05	5.73	5.40	5.05	4.65	
<u>332.5</u>	7.62	7.46	7.28	7.07	6.86	6.63	6.38	6.11	5.83	5.53	5.21	4.84	4.45	
<u>335.0</u>	7.31	7.16	6.98	6.77	6.55	6.34	6.11	5.87	5.61	5.32	4.98	4.62	4.25	
<u>337.5</u>	6.98	6.84	6.66	6.47	6.26	6.07	5.87	5.64	5.38	5.07	4.74	4.39	3.99	
<u>340.0</u>	6.64	6.51	6.36	6.19	6.00	5.82	5.62	5.38	5.10	4.80	4.48	4.10	3.70	
<u>342.5</u>	6.33	6.22	6.09	5.93	5.75	5.54	5.32	5.08	4.81	4.51	4.15	3.77	3.40	
<u>345.0</u>	6.03	5.93	5.79	5.63	5.43	5.22	5.00	4.76	4.46	4.11	3.77	3.42	3.03	
<u>347.5</u>	5.69	5.57	5.44	5.28	5.09	4.87	4.60	4.30	4.00	3.68	3.36	2.99	2.60	
<u>350.0</u>	5.31	5.19	5.03	4.84	4.60	4.34	4.06	3.79	3.51	3.20	2.86	2.51	2.16	
<u>352.5</u>	4.71	4.57	4.41	4.21	4.00	3.76	3.49	3.23	2.94	2.65	2.34	2.03	1.75	
<u>355.0</u>	4.01	3.89	3.74	3.56	3.35	3.11	2.85	2.60	2.35	2.09	1.84	1.61	1.37	
<u>357.5</u>	3.27	3.15	3.01	2.84	2.64	2.43	2.20	1.98	1.79	1.60	1.40	1.20	0.99	
<u>360.0</u>	2.50	2.39	2.27	2.13	1.97	1.80	1.63	1.45	1.29	1.13	0.97	0.82	0.70	
<u>362.5</u>	1.80	1.72	1.62	1.51	1.38	1.24	1.09	0.95	0.83	0.74	0.66	0.57	0.48	
<u>365.0</u>	1.14	1.08	1.00	0.93	0.84	0.76	0.69	0.61	0.55	0.48	0.41	0.34	0.27	
<u>367.5</u>	0.68	0.65	0.62	0.57	0.53	0.47	0.41	0.35	0.29	0.25	0.22	0.20	0.18	
<u>370.0</u>	0.36	0.34	0.31	0.29	0.26	0.23	0.21	0.19	0.18	0.17	0.16	0.15	0.13	
<u>372.5</u>	0.20	0.20	0.19	0.19	0.18	0.17	0.16	0.15	0.14	0.13	0.12	0.11	0.10	
<u>375.0</u>	0.15	0.15	0.14	0.14	0.13	0.13	0.12	0.12	0.11	0.10	0.10	0.09	0.08	
<u>377.5</u>	0.12	0.12	0.11	0.11	0.11	0.10	0.10	0.10	0.09	0.09	0.08	0.07	0.07	
<u>380.0</u>	0.09	0.09	0.09	0.09	0.09	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.06	
<u>382.5</u>	0.08	0.08	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	
<u>385.0</u>	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06	0.06	
<u>387.5</u>	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.06	
<u>390.0</u>	0.08	0.08	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	
<u>Total</u>	365.47	358.71	350.55	341.06	330.42	318.61	305.71	291.78	277.06	261.28	244.50	226.66	208.08	
	<u>β 40.0</u>	<u>β 42.5</u>	<u>β 45.0</u>	<u>β 47.5</u>	<u>β 50.0</u>	<u>β 52.5</u>	<u>β 55.0</u>	<u>β 57.5</u>	<u>β 60.0</u>	<u>β 62.5</u>	<u>β 65.0</u>	<u>β 67.5</u>	<u>β 70.0</u>	<u>β 72</u>
<u>3-90.0</u>														
<u>3-87.5</u>	0.11	0.10	0.10	0.10	0.09	0.09	0.08	0.08	0.07	0.07	0.06	0.05	0.05	

VOLNIC GON-1800 分布光度计,伏达光电技术有限公司
地址:杭州市益乐路223#银江科技园1幢3楼,邮编:310012
电话: (+86)571-88858219,88910474, www.volnic.cn

IES Report---投光灯
光度数据文件:KF-E-100W2 LED PHILIPS 3030 5700K.IES

区域光通量表 - (续)

	$\beta_{40.0}$	$\beta_{42.5}$	$\beta_{45.0}$	$\beta_{47.5}$	$\beta_{50.0}$	$\beta_{52.5}$	$\beta_{55.0}$	$\beta_{57.5}$	$\beta_{60.0}$	$\beta_{62.5}$	$\beta_{65.0}$	$\beta_{67.5}$	$\beta_{70.0}$	β_{72}
<u>3-87.5</u>														
<u>3-85.0</u>	0.11	0.11	0.10	0.10	0.09	0.09	0.08	0.08	0.07	0.07	0.06	0.05	0.05	
<u>3-82.5</u>	0.11	0.11	0.10	0.10	0.09	0.09	0.08	0.08	0.07	0.07	0.06	0.05	0.05	
<u>3-80.0</u>	0.12	0.11	0.11	0.10	0.09	0.09	0.08	0.08	0.07	0.07	0.06	0.05	0.05	
<u>3-77.5</u>	0.12	0.12	0.11	0.11	0.10	0.09	0.09	0.08	0.07	0.07	0.06	0.05	0.05	
<u>3-75.0</u>	0.13	0.12	0.12	0.11	0.10	0.10	0.09	0.08	0.08	0.07	0.06	0.06	0.05	
<u>3-72.5</u>	0.15	0.14	0.13	0.12	0.11	0.10	0.09	0.09	0.08	0.07	0.06	0.06	0.05	
<u>3-70.0</u>	0.17	0.16	0.15	0.13	0.12	0.11	0.10	0.09	0.08	0.07	0.06	0.06	0.05	
<u>3-67.5</u>	0.22	0.19	0.16	0.15	0.13	0.12	0.11	0.09	0.08	0.07	0.07	0.06	0.05	
<u>3-65.0</u>	0.31	0.28	0.23	0.18	0.15	0.13	0.12	0.10	0.09	0.08	0.07	0.06	0.05	
<u>3-62.5</u>	0.41	0.37	0.33	0.27	0.21	0.16	0.13	0.11	0.10	0.08	0.07	0.06	0.05	
<u>3-60.0</u>	0.64	0.52	0.43	0.37	0.31	0.24	0.16	0.12	0.10	0.09	0.07	0.06	0.05	
<u>3-57.5</u>	0.93	0.78	0.62	0.49	0.40	0.32	0.24	0.16	0.11	0.09	0.08	0.07	0.05	
<u>3-55.0</u>	1.23	1.05	0.87	0.70	0.53	0.41	0.32	0.23	0.15	0.10	0.08	0.07	0.06	
<u>3-52.5</u>	1.59	1.34	1.12	0.92	0.73	0.54	0.41	0.31	0.21	0.12	0.09	0.07	0.06	
<u>3-50.0</u>	1.96	1.68	1.40	1.15	0.93	0.72	0.52	0.38	0.27	0.17	0.10	0.08	0.06	
<u>3-47.5</u>	2.33	2.02	1.70	1.40	1.13	0.89	0.67	0.47	0.34	0.23	0.12	0.08	0.06	
<u>3-45.0</u>	2.68	2.34	2.00	1.67	1.35	1.07	0.82	0.59	0.41	0.28	0.16	0.08	0.07	
<u>3-42.5</u>	3.01	2.65	2.29	1.93	1.58	1.26	0.98	0.72	0.50	0.34	0.21	0.10	0.07	
<u>3-40.0</u>	3.34	2.94	2.56	2.19	1.81	1.45	1.13	0.85	0.60	0.40	0.26	0.13	0.07	
<u>3-37.5</u>	3.65	3.23	2.82	2.42	2.03	1.65	1.29	0.98	0.71	0.46	0.30	0.17	0.08	
<u>3-35.0</u>	3.95	3.50	3.07	2.65	2.24	1.84	1.45	1.10	0.81	0.54	0.35	0.20	0.09	
<u>3-32.5</u>	4.23	3.76	3.30	2.86	2.43	2.01	1.61	1.23	0.91	0.63	0.39	0.24	0.11	
<u>3-30.0</u>	4.47	4.00	3.52	3.06	2.61	2.18	1.75	1.35	1.00	0.70	0.45	0.27	0.13	
<u>3-27.5</u>	4.65	4.21	3.72	3.25	2.78	2.33	1.89	1.47	1.10	0.78	0.50	0.30	0.15	
<u>3-25.0</u>	4.80	4.39	3.91	3.41	2.94	2.47	2.02	1.59	1.19	0.85	0.56	0.33	0.17	
<u>3-22.5</u>	4.94	4.53	4.07	3.57	3.08	2.60	2.14	1.69	1.28	0.92	0.61	0.36	0.20	
<u>3-20.0</u>	5.08	4.65	4.21	3.70	3.21	2.72	2.25	1.79	1.36	0.98	0.66	0.40	0.22	
<u>3-17.5</u>	5.21	4.77	4.32	3.83	3.32	2.83	2.34	1.88	1.44	1.04	0.71	0.43	0.23	
<u>3-15.0</u>	5.33	4.88	4.42	3.94	3.42	2.93	2.43	1.96	1.50	1.09	0.75	0.45	0.25	
<u>3-12.5</u>	5.44	4.98	4.50	4.02	3.51	3.01	2.51	2.03	1.57	1.14	0.79	0.48	0.27	
<u>3-10.0</u>	5.53	5.06	4.58	4.10	3.58	3.08	2.57	2.09	1.62	1.19	0.82	0.51	0.28	
<u>3-7.5</u>	5.62	5.14	4.65	4.16	3.65	3.14	2.63	2.14	1.67	1.22	0.85	0.53	0.29	
<u>3-5.0</u>	5.69	5.20	4.71	4.21	3.69	3.19	2.68	2.18	1.70	1.26	0.87	0.54	0.30	
<u>3-2.5</u>	5.75	5.26	4.75	4.24	3.73	3.23	2.72	2.21	1.73	1.28	0.89	0.56	0.31	
<u>30.0</u>	5.76	5.26	4.74	4.23	3.72	3.22	2.71	2.20	1.71	1.26	0.87	0.54	0.30	
<u>32.5</u>	5.40	4.89	4.37	3.84	3.35	2.91	2.39	1.82	1.33	0.91	0.57	0.30	0.14	
<u>35.0</u>	5.36	4.85	4.34	3.82	3.33	2.88	2.36	1.80	1.31	0.90	0.56	0.30	0.14	
<u>37.5</u>	5.30	4.81	4.30	3.78	3.30	2.85	2.32	1.77	1.29	0.88	0.55	0.29	0.13	
<u>310.0</u>	5.23	4.75	4.24	3.74	3.26	2.81	2.27	1.72	1.25	0.85	0.53	0.28	0.13	
<u>312.5</u>	5.15	4.68	4.18	3.68	3.21	2.76	2.21	1.67	1.21	0.82	0.51	0.26	0.12	
<u>315.0</u>	5.06	4.59	4.10	3.61	3.15	2.69	2.13	1.61	1.16	0.78	0.48	0.24	0.12	
<u>317.5</u>	4.96	4.49	4.01	3.53	3.07	2.60	2.04	1.53	1.11	0.74	0.45	0.22	0.11	
<u>320.0</u>	4.85	4.38	3.91	3.44	2.99	2.49	1.94	1.45	1.04	0.69	0.42	0.20	0.10	

VOLNIC GON-1800 分布光度计,伏达光电技术有限公司
地址:杭州市益乐路223#银江科技园1幢3楼,邮编:310012
电话: (+86)571-88858219,88910474,www.volnic.cn

区域光通量表 - (续)

	β 40.0	β 42.5	β 45.0	β 47.5	β 50.0	β 52.5	β 55.0	β 57.5	β 60.0	β 62.5	β 65.0	β 67.5	β 70.0	β 72
<u>320.0</u>														
<u>322.5</u>	4.71	4.25	3.80	3.33	2.88	2.36	1.83	1.37	0.97	0.64	0.38	0.18	0.10	
<u>325.0</u>	4.57	4.12	3.67	3.21	2.76	2.22	1.71	1.28	0.90	0.59	0.34	0.17	0.09	
<u>327.5</u>	4.40	3.97	3.52	3.08	2.60	2.07	1.59	1.18	0.82	0.53	0.30	0.15	0.08	
<u>330.0</u>	4.24	3.80	3.36	2.92	2.41	1.91	1.46	1.07	0.73	0.48	0.26	0.14	0.07	
<u>332.5</u>	4.05	3.61	3.18	2.72	2.21	1.73	1.32	0.96	0.65	0.42	0.22	0.12	0.06	
<u>335.0</u>	3.83	3.40	2.98	2.49	2.00	1.56	1.19	0.84	0.58	0.35	0.18	0.11	0.05	
<u>337.5</u>	3.58	3.17	2.72	2.24	1.78	1.39	1.04	0.73	0.50	0.29	0.16	0.09	0.04	
<u>340.0</u>	3.31	2.89	2.42	1.97	1.57	1.22	0.89	0.63	0.41	0.23	0.14	0.08	0.03	
<u>342.5</u>	3.00	2.55	2.12	1.71	1.36	1.03	0.75	0.53	0.33	0.18	0.12	0.06	0.03	
<u>345.0</u>	2.61	2.20	1.81	1.47	1.15	0.85	0.62	0.43	0.25	0.16	0.10	0.05	0.03	
<u>347.5</u>	2.22	1.85	1.53	1.22	0.93	0.70	0.50	0.32	0.19	0.13	0.08	0.04	0.03	
<u>350.0</u>	1.83	1.54	1.25	0.97	0.74	0.56	0.38	0.23	0.16	0.11	0.06	0.04	0.03	
<u>352.5</u>	1.48	1.22	0.97	0.75	0.58	0.42	0.27	0.18	0.13	0.08	0.04	0.04	0.03	
<u>355.0</u>	1.14	0.91	0.73	0.58	0.43	0.28	0.20	0.15	0.10	0.06	0.04	0.03	0.03	
<u>357.5</u>	0.82	0.68	0.54	0.41	0.28	0.20	0.16	0.11	0.07	0.05	0.04	0.03	0.03	
<u>360.0</u>	0.59	0.47	0.35	0.25	0.20	0.16	0.12	0.08	0.05	0.04	0.04	0.03	0.03	
<u>362.5</u>	0.38	0.28	0.22	0.18	0.15	0.12	0.08	0.06	0.05	0.04	0.04	0.03	0.03	
<u>365.0</u>	0.22	0.19	0.17	0.14	0.11	0.08	0.06	0.05	0.05	0.04	0.03	0.03	0.03	
<u>367.5</u>	0.16	0.14	0.12	0.09	0.07	0.06	0.06	0.05	0.04	0.04	0.03	0.03	0.03	
<u>370.0</u>	0.12	0.10	0.08	0.07	0.07	0.06	0.05	0.05	0.04	0.04	0.03	0.03	0.03	
<u>372.5</u>	0.09	0.08	0.07	0.07	0.06	0.05	0.05	0.04	0.04	0.04	0.03	0.03	0.03	
<u>375.0</u>	0.08	0.07	0.06	0.06	0.05	0.05	0.05	0.04	0.04	0.03	0.03	0.03	0.02	
<u>377.5</u>	0.06	0.06	0.06	0.05	0.05	0.05	0.04	0.04	0.04	0.03	0.03	0.03	0.02	
<u>380.0</u>	0.06	0.06	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.03	0.03	0.03	0.03	
<u>382.5</u>	0.06	0.06	0.05	0.05	0.05	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.03	
<u>385.0</u>	0.06	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.03	0.03	0.03	0.03	
<u>387.5</u>	0.06	0.06	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.04	0.03	0.03	0.03	
<u>390.0</u>	0.06	0.06	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.04	0.03	0.03	0.03	
Total	188.84	169.22	149.34	129.60	110.35	91.82	73.59	56.69	41.86	29.26	19.17	11.47	6.51	
	β 72.5	β 75.0	β 77.5	β 80.0	β 82.5	β 85.0	β 87.5	β 90.0	Total					
<u>3-90.0</u>	0.04	0.04	0.03	0.02	0.02	0.01	0.00		6.38					
<u>3-87.5</u>	0.04	0.04	0.03	0.02	0.02	0.01	0.00		6.44					
<u>3-85.0</u>	0.04	0.04	0.03	0.02	0.02	0.01	0.00		6.62					
<u>3-82.5</u>	0.04	0.04	0.03	0.02	0.02	0.01	0.00		7.01					
<u>3-80.0</u>	0.04	0.04	0.03	0.02	0.02	0.01	0.00		7.61					
<u>3-77.5</u>	0.04	0.04	0.03	0.02	0.02	0.01	0.00		8.59					
<u>3-75.0</u>	0.04	0.04	0.03	0.02	0.02	0.01	0.00		9.89					
<u>3-72.5</u>	0.04	0.04	0.03	0.02	0.02	0.01	0.00		11.70					
<u>3-70.0</u>	0.04	0.04	0.03	0.02	0.02	0.01	0.00		16.57					
<u>3-67.5</u>	0.04	0.04	0.03	0.02	0.02	0.01	0.00		28.11					
<u>3-65.0</u>	0.04	0.04	0.03	0.02	0.02	0.01	0.00		43.42					
<u>3-62.5</u>	0.04	0.04	0.03	0.02	0.02	0.01	0.00		62.24					
<u>3-60.0</u>	0.05	0.04	0.03	0.02	0.02	0.01	0.00							

IES Report---投光灯

光度数据文件:KF-E-100W2 LED PHILIPS 3030 5700K.IES

区域光通量表 - (续)

	<u>β 72.5</u>	<u>β 75.0</u>	<u>β 77.5</u>	<u>β 80.0</u>	<u>β 82.5</u>	<u>β 85.0</u>	<u>β 87.5</u>	<u>β 90.0</u>	<u>Total</u>
<u>3-60.0</u>									
<u>3-57.5</u>	0.05	0.04	0.03	0.02	0.02	0.01	0.00		82.87
<u>3-55.0</u>	0.05	0.04	0.03	0.02	0.02	0.01	0.00		104.61
<u>3-52.5</u>	0.05	0.04	0.03	0.02	0.02	0.01	0.00		126.73
<u>3-50.0</u>	0.05	0.04	0.03	0.02	0.02	0.01	0.00		148.58
<u>3-47.5</u>	0.05	0.04	0.03	0.02	0.02	0.01	0.00		168.88
<u>3-45.0</u>	0.05	0.04	0.03	0.02	0.02	0.01	0.00		185.61
<u>3-42.5</u>	0.05	0.04	0.03	0.02	0.02	0.01	0.00		200.67
<u>3-40.0</u>	0.05	0.04	0.03	0.02	0.02	0.01	0.00		215.15
<u>3-37.5</u>	0.06	0.04	0.03	0.02	0.02	0.01	0.00		229.02
<u>3-35.0</u>	0.06	0.04	0.03	0.02	0.02	0.01	0.00		242.19
<u>3-32.5</u>	0.06	0.04	0.03	0.02	0.02	0.01	0.00		254.65
<u>3-30.0</u>	0.06	0.05	0.03	0.02	0.02	0.01	0.00		266.23
<u>3-27.5</u>	0.06	0.05	0.03	0.02	0.02	0.01	0.00		276.99
<u>3-25.0</u>	0.07	0.05	0.03	0.02	0.02	0.01	0.00		286.80
<u>3-22.5</u>	0.07	0.05	0.03	0.02	0.02	0.01	0.00		295.72
<u>3-20.0</u>	0.08	0.05	0.03	0.03	0.02	0.01	0.00		303.63
<u>3-17.5</u>	0.09	0.05	0.03	0.03	0.02	0.01	0.00		310.57
<u>3-15.0</u>	0.10	0.05	0.04	0.03	0.02	0.01	0.00		316.41
<u>3-12.5</u>	0.11	0.05	0.04	0.03	0.02	0.01	0.00		321.29
<u>3-10.0</u>	0.12	0.05	0.04	0.03	0.02	0.01	0.00		325.19
<u>3-7.5</u>	0.12	0.05	0.04	0.03	0.02	0.01	0.00		328.27
<u>3-5.0</u>	0.13	0.05	0.04	0.03	0.02	0.01	0.00		330.58
<u>3-2.5</u>	0.13	0.05	0.04	0.03	0.02	0.01	0.00		332.20
<u>30.0</u>	0.13	0.05	0.03	0.02	0.02	0.01	0.00		332.36
<u>32.5</u>	0.06	0.02	0.02	0.01	0.01	0.01	0.00		324.90
<u>35.0</u>	0.06	0.02	0.02	0.01	0.01	0.01	0.00		323.68
<u>37.5</u>	0.06	0.02	0.02	0.01	0.01	0.01	0.00		321.68
<u>310.0</u>	0.05	0.02	0.02	0.01	0.01	0.01	0.00		318.86
<u>312.5</u>	0.05	0.02	0.02	0.01	0.01	0.01	0.00		315.08
<u>315.0</u>	0.05	0.02	0.02	0.01	0.01	0.01	0.00		310.37
<u>317.5</u>	0.04	0.02	0.02	0.01	0.01	0.01	0.00		304.56
<u>320.0</u>	0.04	0.02	0.02	0.01	0.01	0.01	0.00		297.75
<u>322.5</u>	0.04	0.02	0.02	0.01	0.01	0.01	0.00		289.88
<u>325.0</u>	0.03	0.02	0.02	0.01	0.01	0.01	0.00		281.12
<u>327.5</u>	0.03	0.02	0.02	0.01	0.01	0.01	0.00		271.47
<u>330.0</u>	0.03	0.02	0.02	0.01	0.01	0.01	0.00		261.03
<u>332.5</u>	0.03	0.02	0.02	0.01	0.01	0.01	0.00		249.76
<u>335.0</u>	0.03	0.02	0.02	0.01	0.01	0.01	0.00		237.80
<u>337.5</u>	0.03	0.02	0.02	0.01	0.01	0.01	0.00		225.17
<u>340.0</u>	0.03	0.02	0.02	0.01	0.01	0.01	0.00		212.05
<u>342.5</u>	0.03	0.02	0.02	0.01	0.01	0.01	0.00		198.57
<u>345.0</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		184.24
<u>347.5</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		168.36

VOLNIC GON-1800 分布光度计,伏达光电技术有限公司

地址:杭州市益乐路223#银江科技园1幢3楼,邮编:310012

电话: (+86)571-88858219,88910474, www.volnic.cn

IES Report---投光灯

光度数据文件:KF-E-100W2 LED PHILIPS 3030 5700K.IES

区域光通量表 - (续)


	<u>β 72.5</u>	<u>β 75.0</u>	<u>β 77.5</u>	<u>β 80.0</u>	<u>β 82.5</u>	<u>β 85.0</u>	<u>β 87.5</u>	<u>β 90.0</u>	<u>Total</u>
<u>347.5</u>									
<u>350.0</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		150.45
<u>352.5</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		129.04
<u>355.0</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		106.37
<u>357.5</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		83.95
<u>360.0</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		62.60
<u>362.5</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		43.61
<u>365.0</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		27.60
<u>367.5</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		16.95
<u>370.0</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		9.92
<u>372.5</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		6.80
<u>375.0</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		5.49
<u>377.5</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		4.59
<u>380.0</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		3.95
<u>382.5</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		3.63
<u>385.0</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		3.48
<u>387.5</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		3.49
<u>390.0</u>	0.02	0.02	0.02	0.01	0.01	0.01	0.00		3.59
<u>Total</u>	3.46	2.24	1.73	1.31	0.92	0.55	0.18		11961.62

VOLNIC GON-1800 分布光度计,伏达光电技术有限公司


地址:杭州市益乐路223#银江科技园1幢3楼,邮编:310012

电话: (+86)571-88858219,88910474,www.volnic.cn


矩形等光强曲线



平面等照度曲线




三维平面等照度曲线



Curves: 3D Model — 90% — 80% — 70% — 60% — 50% — 40% — 30% — 20% — 10% —
View Angles(deg): 0 Height(m): 3.0 Distance(m): 10.0

空间等照度曲线



照度距离图表

