



**KEYBOARDS  
& POINTING DEVICES**  
for the most demanding jobs

**RKB106**



panel mount



desktop version

- 106 keys, silicone rubber
- IP65 sealing
- white backlighting

## SILICONE RUBBER KEYBOARD

106 key rubber keyboard. The backlit keys warrant for optimized performance while working in low-light environments. Panel mount and desktop version available.

### MAIN FEATURES

- Layout with numpad, 106 full travel keys
- Dimmable backlighting at 8 levels by two dedicated keys (FN key + arrow up/down)
- Low power LED's warrant for a long life
- No external power supply necessary, keyboardport power sufficient
- White backlighting as standard, other colours on request
- Compact thickness

#### PANEL MOUNT VERSION

- M3 studs, 10 x M3 x 15 mm
- Dimensions : see page 2
- Weight : 780 grams
- Black anodised aluminium carrier plate

#### DESKTOP VERSION

- Dimensions : see page 3
- Weight : 840 grams
- Housing material: ABS

### CONNECTIVITY

One 1,6 m shielded USB cable.

### COMPASS SAFE DISTANCE

0,6 m

### GENERAL TECHNICAL SPECIFICATIONS

|                      |                        |
|----------------------|------------------------|
| Sealing:             | IP65 sealed frontal    |
| Keys:                | 106 rubber keys        |
| Output:              | 1,6 m USB cable        |
| Power requirements:  | Directly from USB port |
| Operating temp.:     | -0°C to +70°C          |
| Storage temp. range: | -40°C to +85°C         |
| Switch force:        | 300 grams +- 100 grams |
| Switch stroke:       | 1,5 mm                 |
| Lifetime switches:   | 1 million actuations   |

### ORDER INFO

#### COUNTRY LAYOUT

US Qwerty

#### DESKTOP VERSION

**RKB106S0001-WLED**

#### PANEL MOUNT


**RKB106B0001-WLED**

**ISO 9001**


**ISO 14001**

DIMENSIONAL DRAWING

PANEL MOUNT




Cutout Dimensions:



RKB106

DIMENSIONAL DRAWING

DESKTOP VERSION



ISO 9001  
ISO 14001